



Open CASCADE Technology
6.9.1

Foundation Classes

September 25, 2015

Contents

1	Introduction	1
2	Basics	4
2.1	Library organization	4
2.1.1	Modules and toolkits	4
2.1.2	Packages	4
2.1.3	Classes	5
2.1.4	Generic Classes	6
2.1.5	Inheritance	6
2.2	Persistence and Data Schema	7
2.3	Data Types	7
2.3.1	Primitive Types	8
2.3.2	Types manipulated by value	10
2.3.3	Types manipulated by reference (handle)	10
2.3.4	When is it necessary to use a handle?	11
2.4	Programming with Handles	11
2.4.1	Handle Definition	11
2.4.2	Type Management	12
2.4.3	Using Handles to Create Objects	13
2.4.4	Invoking Methods	14
2.4.5	Handle deallocation	14
2.4.6	Cycles	15
2.4.7	Creating Transient Classes without CDL	15
2.5	Memory Management	17
2.5.1	Usage of Memory Manager	17
2.5.2	How to configure the Memory Manager	17
2.5.3	Optimization Techniques	18
2.5.4	Benefits and drawbacks	18
2.6	Exceptions	18
2.6.1	Introduction	18
2.6.2	Raising an Exception	19
2.6.3	Handling an Exception	20
2.6.4	Implementation on various platforms.	22
2.7	Plug-In Management	23
2.7.1	Distribution by Plug-Ins	23
3	Collections, Strings, Quantities and Unit Conversion	26
3.1	Collections	26
3.1.1	Overview	26

3.1.2	Generic general-purpose Aggregates	26
3.1.3	Generic Maps	29
3.1.4	Iterators	31
3.2	Collections of Standard Objects	32
3.2.1	Overview	32
3.2.2	Description	32
3.3	NCollections	33
3.3.1	Overview	33
3.3.2	Instantiation of collection classes	33
3.3.3	Class architecture	34
3.3.4	New collection types	35
3.3.5	Features	37
3.4	Strings	39
3.4.1	Examples	39
3.4.2	Conversion	40
3.5	Quantities	40
3.6	Unit Conversion	41
4	Math Primitives and Algorithms	42
4.1	Overview	42
4.2	Vectors and Matrices	42
4.3	Primitive Geometric Types	43
4.4	Collections of Primitive Geometric Types	44
4.5	Basic Geometric Libraries	44
4.6	Common Math Algorithms	44
4.7	Precision	46
4.7.1	The Precision package	47
4.7.2	Standard Precision values	47
5	Data Storage	48
5.1	Saving and Opening Files	48
5.2	Basic Storage Procedures	49
5.2.1	Saving	49
5.2.2	Opening	50

1 Introduction

This manual explains how to use Open CASCADE Technology (**OCCT**) Foundation Classes. It provides basic documentation on foundation classes. For advanced information on foundation classes and their applications, see our [E-learning & Training](#) offerings.

Foundation Classes provide a variety of general-purpose services such as automated dynamic memory management (manipulation of objects by handle), collections, exception handling, genericity by down-casting and plug-in creation.

Foundation Classes include the following:

Root Classes

Root classes are the basic data types and classes on which all the other classes are built. They provide:

- fundamental types such as Boolean, Character, Integer or Real,
- safe handling of dynamically created objects, ensuring automatic deletion of unreferenced objects (see *Standard_Transient* class),
- configurable optimized memory manager increasing the performance of applications that intensively use dynamically created objects,
- extended run-time type information (RTTI) mechanism facilitating the creation of complex programs,
- management of exceptions,
- encapsulation of C++ streams. Root classes are mainly implemented in *Standard* and *MMgt* packages.

Strings

Strings are classes that handle dynamically sized sequences of characters based on both ASCII (normal 8-bit character type) and Unicode (16-bit character type). Strings may also be manipulated by handles, and consequently be shared. Strings are implemented in the *TCollection* package.

Collections

Collections are the classes that handle dynamically sized aggregates of data. Collection classes are *generic*, that is, they define a structure and algorithms allowing to hold a variety of objects which do not necessarily inherit from a unique root class (similarly to C++ templates). When you need to use a collection of a given type of object, you must *instantiate* it for this specific type of element. Once this declaration is compiled, all functions available on the generic collection are available on your *instantiated class*.

Collections include a wide range of generic classes such as run-time sized arrays, lists, stacks, queues, sets and hash maps. Collections are implemented in the *TCollection* and *NCollection* packages.

Collections of Standard Objects

The *TColStd* package provides frequently used instantiations of generic classes from the *TCollection* package with objects from the *Standard* package or strings from the *TCollection* package.

Vectors and Matrices

These classes provide commonly used mathematical algorithms and basic calculations (addition, multiplication, transposition, inversion, etc.) involving vectors and matrices.

Primitive Geometric Types

Open CASCADE Technology primitive geometric types are a STEP-compliant implementation of basic geometric and algebraic entities. They provide:

- Descriptions of elementary geometric shapes:
 - Points,
 - Vectors,
 - Lines,
 - Circles and conics,
 - Planes and elementary surfaces,
 - Positioning of these shapes in space or in a plane by means of an axis or a coordinate system,
- Definition and application of geometric transformations to these shapes:
 - Translations
 - Rotations
 - Symmetries
 - Scaling transformations
 - Composed transformations
- Tools (coordinates and matrices) for algebraic computation.

Common Math Algorithms

Open CASCADE Technology common math algorithms provide a C++ implementation of the most frequently used mathematical algorithms. These include:

- Algorithms to solve a set of linear algebraic equations,
- Algorithms to find the minimum of a function of one or more independent variables,
- Algorithms to find roots of one, or of a set, of non-linear equations,
- Algorithms to find the eigen-values and eigen-vectors of a square matrix.

Exceptions

A hierarchy of commonly used exception classes is provided, all based on class Failure, the root of exceptions. Exceptions describe exceptional situations, which can arise during the execution of a function. With the raising of an exception, the normal course of program execution is abandoned. The execution of actions in response to this situation is called the treatment of the exception.

Quantities

These are various classes supporting date and time information and fundamental types representing most physical quantities such as length, area, volume, mass, density, weight, temperature, pressure etc.

Application services

Foundation Classes also include implementation of several low-level services that facilitate the creation of customizable and user-friendly applications with Open CASCADE Technology. These include:

- Unit conversion tools, providing a uniform mechanism for dealing with quantities and associated physical units: check unit compatibility, perform conversions of values between different units and so on (see package *UnitsAPI*);
- Basic interpreter of expressions that facilitates the creation of customized scripting tools, generic definition of expressions and so on (see package *ExprIntpr*);
- Tools for dealing with configuration resource files (see package *Resource*) and customizable message files (see package *Message*), making it easy to provide a multi-language support in applications;
- Progress indication and user break interfaces, giving a possibility even for low-level algorithms to communicate with the user in a universal and convenient way.

2 Basics

This chapter deals with basic services such as library organization, persistence, data types, memory management, programming with handles, exception handling, genericity by downcasting and plug-in creation.

2.1 Library organization

This chapter introduces some basic concepts, which are used not only in Foundation Classes, but throughout the whole OCCT library.

2.1.1 Modules and toolkits

The whole OCCT library is organized in a set of modules. The first module, providing most basic services and used by all other modules, is called Foundation Classes and described by this manual.

Every module consists primarily of one or several toolkits (though it can also contain executables, resource units etc.). Physically a toolkit is represented by a shared library (e.g. .so or .dll). The toolkit is built from one or several packages.

2.1.2 Packages

A **package** groups together a number of classes which have semantic links. For example, a geometry package would contain Point, Line, and Circle classes. A package can also contain enumerations, exceptions and package methods (functions). In practice, a class name is prefixed with the name of its package e.g. *Geom_Circle*. Data types described in a package may include one or more of the following data types:

- Enumerations
 - Object classes
 - Exceptions
 - Pointers to other object classes
- Inside a package, two data types cannot bear the same name.




Figure 1: Contents of a package

Methods are either **functions** or **procedures**. Functions return an object, whereas procedures only communicate by passing arguments. In both cases, when the transmitted object is an instance manipulated by a handle, its identifier is passed. There are three categories of methods:

- **Object constructor** Creates an instance of the described class. A class will have one or more object constructors with various different arguments or none.
- **Instance method** Operates on the instance which owns it.
- **Class method** Does not work on individual instances, only on the class itself.

2.1.3 Classes

The fundamental software component in object-oriented software development is the class. A class is the implementation of a **data type**. It defines its **behavior** (the services offered by its functions) and its **representation** (the data structure of the class – the fields, which store its data).

Classes fall into three categories:

- Ordinary classes.
- Deferred classes. A **deferred class** cannot be instantiated. The purpose of having such classes is to have a given behavior shared by a hierarchy of classes and dependent on the implementation of the descendants.

This is a way of guaranteeing a certain base of inherited behavior common to all the classes based on a particular deferred class. The C++ equivalent of a deferred CDL class is an abstract class.

- Generic classes. A **generic class** offers a set of functional behaviors to manipulate other data types. Instantiation of a generic class requires that a data type is given for its argument(s). The generic classes in CDL perform the same mission as template classes in C++.

2.1.4 Generic Classes

Generic classes are implemented in two steps. First you declare the generic class to establish the model, then you instantiate this class by giving information about the generic types.

Declaring a Generic Class

The generic classes in Open CASCADE Technology are similar by their intent to C++ templates with explicit instantiation. A generic class is declared in CDL as operating on data items of non-fixed types which are declared as arguments of the generic class. It is possible to put a restriction on these data types to be of subtype of some definite class. Definition of the generic class does not create new class type in C++ terms; it only defines a pattern for generation (instantiation) of the real classes.

Instantiation of a Generic Class

When a generic class is instantiated, its argument types are substituted by actually existing data types (elementary types or classes). The result of instantiation is a new C++ class with an arbitrary name (specified in the instantiating declaration). By convention, the name of the instantiated class is usually constructed from the name of the generic class and names of actual argument types. As for any other class, the name of the class instantiating a generic type is prefixed by the name of the package in which instantiation is declared.

```
class ArrayOfReal instantiates Array1 from TCollection (Real);
```

This declaration located in a CDL file of the *TColStd* package defines a new C++ class *TColStd_Array1OfReal* as the instantiation of generic class *TCollection_Array1* for *Real* values. More than one class can be instantiated from the same generic class with the same argument types. Such classes will be identical by implementation, but considered as two different classes by C++. No class can inherit from a generic class. A generic class can be a deferred class. A generic class can also accept a deferred class as its argument. In both these cases, any class instantiated from it will also be deferred. The resulting class can then be inherited by another class.

Nested Generic Classes

It often happens that many classes are linked by a common generic type. This is the case when a base structure furnishes an iterator. In this context, it is necessary to make sure that the group of linked generic classes is indeed instantiated for the same type of object. In order to group the instantiation, you may declare certain classes as being nested. When generic class is instantiated, its nested classes are instantiated as well. The name of the instantiation of the nested class is constructed from the name of that nested class and name of the main generic class, connected by 'Of'.

```
class MapOfReal instantiates Map from TCollection (Real,MapRealHasher);
```

This declaration in *TColStd* defines not only class *TColStd_MapOfReal*, but also class *TColStd_MapIteratorOfMapOfReal*, which is instantiated from nested class *MapIterator* of the generic class *TCollection_Map*. Note that instantiation of the nested class is separate class, it is not nested class to the instantiation of the main class. **Nested classes**, even though they are described as non-generic classes, are generic by construction being inside the class they are a member of.

2.1.5 Inheritance

The purpose of inheritance is to reduce the development workload. The inheritance mechanism allows a new class to be declared already containing the characteristics of an existing class. This new class can then be rapidly

specialized for the task in hand. This avoids the necessity of developing each component “from scratch”. For example, having already developed a class *BankAccount* you could quickly specialize new classes: *SavingsAccount*, *LongTermDepositAccount*, *MoneyMarketAccount*, *RevolvingCreditAccount*, etc....

The corollary of this is that when two or more classes inherit from a parent (or ancestor) class, all these classes guarantee as a minimum the behavior of their parent (or ancestor). For example, if the parent class *BankAccount* contains the method *Print* which tells it to print itself out, then all its descendant classes guarantee to offer the same service.

One way of ensuring the use of inheritance is to declare classes at the top of a hierarchy as being **deferred**. In such classes, the methods are not implemented. This forces the user to create a new class which redefines the methods. This is a way of guaranteeing a certain minimum of behavior among descendant classes.

2.2 Persistence and Data Schema

The data schema is the structure used by an application to store its data. Data schemas consist of persistent classes.

An object is called **persistent** if it can be permanently stored. Thus, the object can be reused at a later date by the application, which created it, or by another application.

In order for an object to be persistent for CDL, its type must be declared as inheriting from the class *Standard_Persistent* or have a parent class inheriting from the *Standard_Persistent* class. Note that classes inheriting from *Standard_Persistent* are handled by a reference.

Objects instantiated from classes which inherit from the *Standard_Storable* class cannot themselves be stored individually, but they can be stored as fields of an object which inherits from *Standard_Persistent*. Note that objects inheriting from *Standard_Storable* are handled by a value.

2.3 Data Types

An object-oriented language structures a system around data types rather than around the actions carried out on this data. In this context, an **object** is an **instance** of a data type and its definition determines how it can be used. Each data type is implemented by one or more classes, which make up the basic elements of the system.

The data types in Open CASCADE Technology fall into two categories:

- Data types manipulated by handle (or reference)
- Data types manipulated by value




Figure 2: Manipulation of data types

A data type is implemented as a class. The class not only defines its data representation and the methods available on instances, but it also suggests how the instance will be manipulated.

- A variable of a type manipulated by value contains the instance itself.
- A variable of a type manipulated by handle contains a reference to the instance. The first examples of types manipulated by values are the predefined **primitive types**: *Boolean*, *Character*, *Integer*, *Real*, etc.

A variable of a type manipulated by handle which is not attached to an object is said to be **null**. To reference an object, we instantiate the class with one of its constructors. For example, in C++:

```
Handle(myClass) m = new myClass;
```

In Open CASCADE Technology, the Handles are specific classes that are used to safely manipulate objects allocated in the dynamic memory by reference, providing reference counting mechanism and automatic destruction of the object when it is not referenced.

2.3.1 Primitive Types

The primitive types are predefined in the language and they are **manipulated by value**. Some of these primitives inherit from the **Storable** class. This means they can be used in the implementation of persistent objects, either contained in entities declared within the methods of the object, or they form part of the internal representation of the object.

The primitives inheriting from *Standard_Storable* are the following:

- **Boolean** is used to represent logical data. It may have only two values: *Standard_True* and *Standard_False*.
- **Character** designates any ASCII character.
- **ExtCharacter** is an extended character.
- **Integer** is a whole number.
- **Real** denotes a real number (i.e. one with whole and a fractional part, either of which may be null).

- **ShortReal** is a real with a smaller choice of values and memory size. There are also non-Storable primitives. They are:
- **CString** is used for literal constants.
- **ExtString** is an extended string.
- **Address** represents a byte address of undetermined size. The services offered by each of these types are described in the **Standard** Package. The table below presents the equivalence existing between C++ fundamental types and OCCT primitive types.

Table 1: Equivalence between C++ Types and OCCT Primitive Types

C++ Types	OCCT Types
int	Standard_Integer
double	Standard_Real
float	Standard_ShortReal
unsigned int	Standard_Boolean
char	Standard_Character
short	Standard_ExtCharacter
char*	Standard_CString
void*	Standard_Address
short*	Standard_ExtString

- The types with asterisk are pointers.

Reminder of the classes listed above:

- **Standard_Integer** : fundamental type representing 32-bit integers yielding negative, positive or null values. *Integer* is implemented as a *typedef* of the C++ *int* fundamental type. As such, the algebraic operations +, -, *, / as well as the ordering and equivalence relations <, <=, ==, !=, >=, > are defined on it.
- **Standard_Real** : fundamental type representing real numbers with finite precision and finite size. **Real** is implemented as a *typedef* of the C++ *double* (double precision) fundamental type. As such, the algebraic operations +, -, *, /, unary- and the ordering and equivalence relations <, <=, ==, !=, >=, > are defined on reals.
- **Standard_ShortReal** : fundamental type representing real numbers with finite precision and finite size. *ShortReal* is implemented as a *typedef* of the C++ *float* (simple precision) fundamental type. As such, the algebraic operations +, -, *, /, unary- and the ordering and equivalence relations <, <=, ==, !=, >=, > are defined on reals.
- **Standard_Boolean** : fundamental type representing logical expressions. It has two values: *false* and *true*. *Boolean* is implemented as a *typedef* of the C++ *unsigned int* fundamental type. As such, the algebraic operations *and*, *or*, *xor* and *not* as well as equivalence relations == and != are defined on Booleans.
- **Standard_Character** : fundamental type representing the normalized ASCII character set. It may be assigned the values of the 128 ASCII characters. *Character* is implemented as a *typedef* of the C++ *char* fundamental type. As such, the ordering and equivalence relations <, <=, ==, !=, >=, > are defined on characters using the order of the ASCII chart (ex: A B).
- **Standard_ExtCharacter** : fundamental type representing the Unicode character set. It is a 16-bit character type. *ExtCharacter* is implemented as a *typedef* of the C++ *short* fundamental type. As such, the ordering and equivalence relations <, <=, ==, !=, >=, > are defined on extended characters using the order of the UNICODE chart (ex: A B).
- **Standard_CString** : fundamental type representing string literals. A string literal is a sequence of ASCII (8 bits) characters enclosed in double quotes. *CString* is implemented as a *typedef* of the C++ *char* fundamental type.
- **Standard_Address** : fundamental type representing a generic pointer. *Address* is implemented as a *typedef* of the C++ *void* fundamental type.
- **Standard_ExtString** is a fundamental type representing string literals as sequences of Unicode (16 bits) characters. *ExtString* is implemented as a *typedef* of the C++ *short* fundamental type.

2.3.2 Types manipulated by value

There are three categories of types which are manipulated by value:

- Primitive types
- Enumerated types
- Types defined by classes not inheriting from *Standard_Persistent* or *Standard_Transient*, whether directly or not. Types which are manipulated by value behave in a more direct fashion than those manipulated by handle and thus can be expected to perform operations faster, but they cannot be stored independently in a file.




Figure 3: Manipulation of a data type by value

Types that are known to the schema (i.e. they are either **primitives** or they inherit from *Storable*) and are manipulated by value, can be stored inside a persistent object as part of the representation. Only in this way can a "manipulated by value" object be stored in a file.

2.3.3 Types manipulated by reference (handle)

There are two categories of types which are manipulated by handle:

- Types defined by classes inheriting from the *Persistent* class, which are therefore storable in a file.
- Types defined by classes inheriting from the *Transient* class.




Figure 4: Manipulation of a data type by reference

2.3.4 When is it necessary to use a handle?

The following table summarizes how various data types are handled and stored.

Type	Manipulated by handle	Manipulated by value
storable	Persistent	Primitive, Storable (if nested in a persistent class)
temporary	Transient	Other

When you design an object, it can be difficult to choose how to manipulate that object: by value or by handle. The following ideas can help you to make up your mind:

- If your object may have a long lifetime within the application and you want to make multiple references to it, it would be preferable to manipulate this object with a handle. The memory for the object will be allocated on the heap. The handle which points to that memory is a light object which can be rapidly passed in argument. This avoids the penalty of copying a large object.
- If your object will have a limited lifetime, for example, used within a single algorithm, it would be preferable to manipulate this object by value, non-regarding its size, because this object is allocated on the stack and the allocation and de-allocation of memory is extremely rapid, which avoids the implicit calls to *new* and *delete* occasioned by allocation on the heap.
- Finally, if an object will be created only once during, but will exist throughout the lifetime of the application, the best choice may be a class manipulated by handle or a value declared as a global variable.

2.4 Programming with Handles

2.4.1 Handle Definition

A handle may be compared with a C++ pointer. Several handles can reference the same object. Also, a single handle may reference several objects, but only one at a time. To have access to the object it refers to, the handle must be de-referenced just as with a C++ pointer.

Transient and Persistent classes may be manipulated either with handles or with values. Handles which reference non-persistent objects are called non-storable handles; therefore, a persistent object cannot contain a non-storable handle.

Organization of Classes

Classes used with handles are persistent or transient.

Classes that inherit from *Standard_Transient* are transient while classes that inherit from *Standard_Persistent* are persistent.

In this chapter we will discuss only transient classes and relevant handles. Persistent classes and their handles are organized in a similar manner.

Class *Standard_Transient* is a root of a big hierarchy of OCCT classes that are said to be operable by handles. It provides a reference counter field, inherited by all its descendant classes, that is used by associated *Handle()* classes to track a number of handles pointing to this instance of the object.

For every class derived (directly or indirectly) from *Transient*, CDL extractor creates associated class *Handle()* whose name is the same as the name of that class prefixed by *Handle_*. Open CASCADE Technology provides preprocessor macro *Handle()* that produces a name of a *Handle()* class for a given transient class name.

Using a Handle

A handle is characterized by the object it references.

Before performing any operation on a transient object, you must declare the handle. For example, if *Point* and *Line* are two transient classes from the *Geom* package, you would write:

```
Handle (Geom_Point) p1, p2;
```

Declaring a handle creates a null handle that does not refer to any object. The handle may be checked to be null by its method *IsNull()*. To nullify a handle, use method *Nullify()*.

To initialize a handle, either a new object should be created or the value of another handle can be assigned to it, on condition that their types are compatible.

Note that handles should only be used for object sharing. For all local operations, it is advisable to use classes manipulated by values.

2.4.2 Type Management

Open CASCADE Technology provides a means to describe the hierarchy of data types in a generic way, with a possibility to check the exact type of the given object at run-time (similarly to C++ RTTI). For every class type derived from *Standard_Transient*, CDL extractor creates a code instantiating single instance of the class *Standard_Type* (type descriptor) that holds information on that type: its name and list of ancestor types.

That instance (actually, a handle on it) is returned by the virtual method *DynamicType()* of the class derived from *Standard_Transient*. The other virtual method *IsKind()* provides a means to check whether a given object has specified type or inherits it.

In order to refer to the type descriptor object for a given class type, use macros *STANDARD_TYPE()* with argument being a name of the class.

Type Conformity

The type used in the declaration of a handle is the static type of the object, the type seen by the compiler. A handle can reference an object instantiated from a subclass of its static type. Thus, the dynamic type of an object (also called the actual type of an object) can be a descendant of the type which appears in the handle declaration through which it is manipulated.

Consider the persistent class *CartesianPoint*, a sub-class of *Point*; the rule of type conformity can be illustrated as follows:

```
Handle (Geom_Point) p1;
Handle (Geom_CartesianPoint) p2;
p2 = new Geom_CartesianPoint;
p1 = p2; // OK, the types are compatible
```

The compiler sees *p1* as a handle to *Point* though the actual object referenced by *p1* is of the *CartesianPoint* type.

Explicit Type Conversion

According to the rule of type conformity, it is always possible to go up the class hierarchy through successive assignments of handles. On the other hand, assignment does not authorize you to go down the hierarchy. Consequently, an explicit type conversion of handles is required.

A handle can be converted explicitly into one of its sub-types if the actual type of the referenced object is a descendant of the object used to cast the handle. If this is not the case, the handle is nullified (explicit type conversion is sometimes called a “safe cast”). Consider the example below.

```
Handle (Geom_Point) p1;
Handle (Geom_CartesianPoint) p2, p3;
p2 = new Geom_CartesianPoint;
p1 = p2; // OK, standard assignment
p3 = Handle (Geom_CartesianPoint)::DownCast (p1);
// OK, the actual type of p1 is CartesianPoint, although the static type of the handle is Point
```

If conversion is not compatible with the actual type of the referenced object, the handle which was “cast” becomes null (and no exception is raised). So, if you require reliable services defined in a sub-class of the type seen by the handle (static type), write as follows:

```
void MyFunction (const Handle(A) & a)
{
    Handle(B) b = Handle(B)::Downcast(a);
    if (! b.IsNull()) {
        // we can use "b" if class B inherits from A
    }
    else {
        // the types are incompatible
    }
}
```

Downcasting is used particularly with collections of objects of different types; however, these objects should inherit from the same root class.

For example, with a sequence of transient objects *SequenceOfTransient* and two classes A and B that both inherit from *Standard_Transient*, you get the following syntax:

```
Handle (A) a;
Handle (B) b;
Handle (Standard_Transient) t;
SequenceOfTransient s;
a = new A;
s.Append (a);
b = new B;
s.Append (b);
t = s.Value (1);
// here, you cannot write:
// a = t; // ERROR !
// so you downcast:
a = Handle (A)::Downcast (t)
if (! a.IsNull()) {
    // types are compatible, you can use a
}
else {
    // the types are incompatible
}
```

2.4.3 Using Handles to Create Objects

To create an object which is manipulated by handle, declare the handle and initialize it with the standard C++ **new** operator, immediately followed by a call to the constructor. The constructor can be any of those specified in the source of the class from which the object is instantiated.

```
Handle (Geom_CartesianPoint) p;
p = new Geom_CartesianPoint (0, 0, 0);
```

Unlike for a pointer, the **delete** operator does not work on a handle; the referenced object is automatically destroyed when no longer in use.

2.4.4 Invoking Methods

Once you have a handle on a persistent or transient object, you can use it like a pointer in C++. To invoke a method which acts on the referenced object, you translate this method by the standard *arrow* operator, or alternatively, by function call syntax when this is available.

To test or to modify the state of the handle, the method is translated by the *dot* operator. The example below illustrates how to access the coordinates of an (optionally initialized) point object:

```
Handle (Geom_CartesianPoint) centre;
Standard_Real x, y, z;
if (centre.IsNull()) {
    centre = new PGeom_CartesianPoint (0, 0, 0);
}
centre->Coord(x, y, z);
```

The example below illustrates how to access the type object of a Cartesian point:

```
Handle(Standard_Transient) p = new Geom_CartesianPoint(0.,0.,0.);
if ( p->DynamicType() == STANDARD_TYPE(Geom_CartesianPoint) )
    cout << "Type check OK;" << endl;
else
    cout << "Type check FAILED;" << endl;
```

NullObject exception will be raised if a field or a method of an object is accessed via a *Null* handle.

Invoking Class Methods

A class method is called like a static C++ function, i.e. it is called by the name of the class of which it is a member, followed by the “::” operator and the name of the method.

For example, we can find the maximum degree of a Bezier curve:

```
Standard_Integer n;
n = Geom_BezierCurve::MaxDegree();
```

2.4.5 Handle deallocation

Before you delete an object, you must ensure it is no longer referenced. To reduce the programming load related to this management of object life, the delete function in Open CASCADE Technology is secured by a **reference counter** of classes manipulated by handle. A handle automatically deletes an object when it is no longer referenced. Normally you never call the delete operator explicitly on instances of subclasses of *Standard_Transient*.

When a new handle to the same object is created, the reference counter is incremented. When the handle is destroyed, nullified, or reassigned to another object, that counter is decremented. The object is automatically deleted by the handle when reference counter becomes 0.

The principle of allocation can be seen in the example below.

```
...
{
    Handle (TColStd_HSequenceOfInteger) H1 = new TColStd_HSequenceOfInteger;
    // H1 has one reference and corresponds to 48 bytes of memory
    {
        Handle (TColStd_HSequenceOfInteger) H2;
        H2 = H1; // H1 has two references
        if (argc == 3) {
            Handle (TColStd_HSequenceOfInteger) H3;
            H3 = H1;
            // Here, H1 has three references
            ...
        }
        // Here, H1 has two references
    }
    // Here, H1 has 1 reference
}
// Here, H1 has no reference and the referred TColStd_HSequenceOfInteger object is deleted.
```

You can easily cast a reference to the handle object to *void** by defining the following:

```
void *pointer;
Handle(Some_class) aHandle;
// Here only a pointer will be copied
Pointer = &aHandle;
// Here the Handle object will be copied
aHandle = * (Handle(Some_Class) *)pointer;
```

2.4.6 Cycles

Cycles appear if two or more objects reference each other by handles (stored as fields). In this condition automatic destruction will not work.

Consider for example a graph, whose objects (primitives) have to know the graph object to which they belong, i.e. a primitive must have a reference to complete graph object. If both primitives and the graph are manipulated by handle and they refer to each other by keeping a handle as a field, the cycle appears.

The graph object will not be deleted when the last handle to it is destructed in the application, since there are handles to it stored inside its own data structure (primitives).

There are two approaches how to avoid such situation:

- Use C++ pointer for one kind of references, e.g. from a primitive to the graph
- Nullify one set of handles (e.g. handles to a graph in primitives) when a graph object needs to be destroyed

2.4.7 Creating Transient Classes without CDL

Though generation of Handle class and related C++ code is normally performed by CDL extractor, it is also possible to define a class managed by handle without CDL. To facilitate that, several macros are provided in the file `Standard_DefineHandle.hxx`:

- **DEFINE_STANDARD_HANDLE(class_name,ancestor_name)** - declares Handle class for a class *class_name* that inherits class *ancestor_name* (for instance, *Standard_Transient*). This macro should be put in a header file; the declaration of the handle to a base class must be available (usually put before or after the declaration of the class *class_name*, or into a separate header file).
- **IMPLEMENT_STANDARD_HANDLE(class_name,ancestor_name)** - implements method *DownCast()* of the *Handle* class. Should be located in a C++ file (normally the file where methods of the class *class_name* are implemented).
- **DEFINE_STANDARD_RTTI(class_name)** - declares methods required for RTTI in the class *class_name* declaration; should be in public: section.
- **IMPLEMENT_STANDARD_RTTIEXT(class_name,ancestor_name)** - implements above methods. Usually put into the C++ file implementing class *class_name*. Note that it is important to ensure correctness of macro arguments, especially the ancestor name, otherwise the definition may be inconsistent (no compiler warnings will be issued in case of mistake).

In *Appli_ExtSurface.hxx* file:

```
#include <Geom_Surface.hxx>
class Appli_ExtSurface : public Geom_Surface
{
    . . .
public:
    DEFINE_STANDARD_RTTI (Appli_ExtSurface)
}
DEFINE_STANDARD_HANDLE (Appli_ExtSurface, Geom_Surface)
```

In *Appli_ExtSurface.cxx* file:

```
#include <Appli_ExtSurface.hxx>
IMPLEMENT_STANDARD_HANDLE (Appli_ExtSurface, Geom_Surface)
IMPLEMENT_STANDARD_RTTIEXT (Appli_ExtSurface, Geom_Surface)
```

Example

The following example shows how to define a class *SamplePoint* manipulated by handle.

First you need to define *Sample_Point.hxx* :

```
#ifndef _Sample_Point_HeaderFile
#define _Sample_Point_HeaderFile
#ifndef _Standard_Macro_HeaderFile
#include <Standard_Macro.hxx>
#endif
#include <MMgt_TShared.hxx>
#include <Standard_DefineHandle.hxx>
// Handle definition
//

DEFINE_STANDARD_HANDLE(Sample_Point, MMgt_TShared)
class Sample_Point: public MMgt_TShared {
public:
Sample_Point();
Sample_Point(const Standard_Real, const
Standard_Real);
void SetX(const Standard_Real x) {
myX = x;
}
void SetY(const Standard_Real y) {
myY = y;
}
Standard_Real X() const {
return myX;
}
Standard_Real Y() const {
return myY;
}
// some methods like DynamicType() or
IsKind()
//
DEFINE_STANDARD_RTTI(Sample_Point)
private:
Standard_Real myX;
Standard_Real myY;
};
#endif
```

Then you need to define *Sample_Point.cxx* :

```
#include <Sample_Point.hxx>

// Implementation of Handle and type mgt

IMPLEMENT_STANDARD_HANDLE(Sample_Point, MMgt_TShared)
IMPLEMENT_STANDARD_RTTI(Sample_Point, MMgt_TShared)

// For ancestors, we add a IMPLEMENT_STANDARD_SUPER_TYPE and
// a IMPLEMENT_STANDARD_SUPER_TYPE_ARRAY_ENTRY macro.
// We must respect the order: from the direct ancestor class to the base class.

IMPLEMENT_STANDARD_TYPE(Sample_Point)
IMPLEMENT_STANDARD_SUPER_TYPE(MMgt_TShared)
IMPLEMENT_STANDARD_SUPER_TYPE(Standard_Transient)
IMPLEMENT_STANDARD_SUPER_TYPE_ARRAY()
IMPLEMENT_STANDARD_SUPER_TYPE_ARRAY_ENTRY(MMgt_TShared)
IMPLEMENT_STANDARD_SUPER_TYPE_ARRAY_ENTRY(Standard_Transient)
IMPLEMENT_STANDARD_SUPER_TYPE_ARRAY_END()
IMPLEMENT_STANDARD_TYPE_END(Sample_Point)

// Constructors implementation

Sample_Point::Sample_Point(const
Standard_Real x, const Standard_Real y)
{
myX = x;
myY = y;
}
Sample_Point::Sample_Point()
{
myX = 0.0;
myY = 0.0;
}
```

2.5 Memory Management

In a work session, geometric modeling applications create and delete a considerable number of C++ objects allocated in the dynamic memory (heap). In this context, performance of standard functions for allocating and deallocating memory may be not sufficient. For this reason, Open CASCADE Technology employs a specialized memory manager implemented in the *Standard* package.

The Memory Manager is based on the following principles:

- small memory arrays are grouped into clusters and then recycled (clusters are never released to the system),
- large arrays are allocated and de-allocated through the standard functions of the system (the arrays are released to system when they are no longer used).

As a general rule, it is advisable to allocate memory through significant blocks. In this way, the user can work with blocks of contiguous data and it facilitates memory page manager processing.

2.5.1 Usage of Memory Manager

To allocate memory in a C code with Open CASCADE Technology memory manager, simply use method *Standard::Allocate()* instead of *malloc()* and method *Standard::Free()* instead of *free()*. In addition, method *Standard::Reallocate()* is provided to replace C function *realloc()*.

In C++, operators *new()* and *delete()* for a class may be defined so as to allocate memory using *Standard::Allocate()* and free it using *Standard::Free()*. In that case all objects of that class and all inherited classes will be allocated using the OCCT memory manager.

CDL extractor defines *new()* and *delete()* in this way for all classes declared with CDL. Thus all OCCT classes (apart from a few exceptions) are allocated using the OCCT memory manager. Since operators *new()* and *delete()* are inherited, this is also true for any class derived from an OCCT class, for instance, for all classes derived from *Standard_Transient*.

Note that it is possible (though not recommended unless really unavoidable) to redefine *new()* and *delete()* functions for a class inheriting *Standard_Transient*. If that is done, the method *Delete()* should be also redefined to apply operator *delete* to this pointer. This will ensure that appropriate *delete()* function will be called, even if the object is manipulated by a handle to a base class.

2.5.2 How to configure the Memory Manager

The OCCT memory manager may be configured to apply different optimization techniques to different memory blocks (depending on their size), or even to avoid any optimization and use C functions *malloc()* and *free()* directly. The configuration is defined by numeric values of the following environment variables:

- *MMGT_OPT*: if set to 0 (default) every memory block is allocated in C memory heap directly (via *malloc()* and *free()* functions). In this case, all other options except for *MMGT_CLEAR* are ignored; if set to 1 the memory manager performs optimizations as described below; if set to 2, Intel® TBB optimized memory manager is used.
- *MMGT_CLEAR*: if set to 1 (default), every allocated memory block is cleared by zeros; if set to 0, memory block is returned as it is.
- *MMGT_CELLSIZE*: defines the maximal size of blocks allocated in large pools of memory. Default is 200.
- *MMGT_NBPAGES*: defines the size of memory chunks allocated for small blocks in pages (operating-system dependent). Default is 1000.
- *MMGT_THRESHOLD*: defines the maximal size of blocks that are recycled internally instead of being returned to the heap. Default is 40000.
- *MMGT_MMAP*: when set to 1 (default), large memory blocks are allocated using memory mapping functions of the operating system; if set to 0, they will be allocated in the C heap by *malloc()*.

2.5.3 Optimization Techniques

When *MMGT_OPT* is set to 1, the following optimization techniques are used:

- Small blocks with a size less than *MMGT_CELLSIZE*, are not allocated separately. Instead, a large pools of memory are allocated (the size of each pool is *MMGT_NBPAGES* pages). Every new memory block is arranged in a spare place of the current pool. When the current memory pool is completely occupied, the next one is allocated, and so on.

In the current version memory pools are never returned to the system (until the process finishes). However, memory blocks that are released by the method *Standard::Free()* are remembered in the free lists and later reused when the next block of the same size is allocated (recycling).

- Medium-sized blocks, with a size greater than *MMGT_CELLSIZE* but less than *MMGT_THRESHOLD*, are allocated directly in the C heap (using *malloc()* and *free()*). When such blocks are released by the method *Standard::Free()* they are recycled just like small blocks.

However, unlike small blocks, the recycled medium blocks contained in the free lists (i.e. released by the program but held by the memory manager) can be returned to the heap by method *Standard::Purge()*.

- Large blocks with a size greater than *MMGT_THRESHOLD*, including memory pools used for small blocks, are allocated depending on the value of *MMGT_MMAP*: if it is 0, these blocks are allocated in the C heap; otherwise they are allocated using operating-system specific functions managing memory mapped files. Large blocks are returned to the system immediately when *Standard::Free()* is called.

2.5.4 Benefits and drawbacks

The major benefit of the OCCT memory manager is explained by its recycling of small and medium blocks that makes an application work much faster when it constantly allocates and frees multiple memory blocks of similar sizes. In practical situations, the real gain on the application performance may be up to 50%.

The associated drawback is that recycled memory is not returned to the operating system during program execution. This may lead to considerable memory consumption and even be misinterpreted as a memory leak. To minimize this effect it is necessary to call the method *Standard::Purge* after the completion of memory-intensive operations.

The overhead expenses induced by the OCCT memory manager are:

- size of every allocated memory block is rounded up to 8 bytes (when *MMGT_OPT* is 0 (default), the rounding is defined by the CRT; the typical value for 32-bit platforms is 4 bytes)
- additional 4 bytes (or 8 on 64-bit platforms) are allocated in the beginning of every memory block to hold its size (or address of the next free memory block when recycled in free list) only when *MMGT_OPT* is 1.

Note that these overheads may be greater or less than overheads induced by the C heap memory manager, so overall memory consumption may be greater in either optimized or standard modes, depending on circumstances.

As a general rule, it is advisable to allocate memory through significant blocks. In this way, you can work with blocks of contiguous data, and processing is facilitated for the memory page manager.

OCCT memory manager uses mutex to lock access to free lists, therefore it may have less performance than non-optimized mode in situations when different threads often make simultaneous calls to the memory manager. The reason is that modern implementations of *malloc()* and *free()* employ several allocation arenas and thus avoid delays waiting mutex release, which are possible in such situations.

2.6 Exceptions

2.6.1 Introduction

The behavior of any object is implemented by the methods, which were defined in its class declaration. The definition of these methods includes not only their signature (their programming interface) but also their domain of validity.

This domain is expressed by **exceptions**. Exceptions are raised under various error conditions to protect software quality.

Exception handling provides a means of transferring control from a given point in a program being executed to an **exception handler** associated with another point previously executed.

A method may raise an exception which interrupts its normal execution and transfers control to the handler catching this exception.

A hierarchy of commonly used exception classes is provided. The root class is *Standard_Failure* from the *Standard* package. So each exception inherits from *Standard_Failure* either directly or by inheriting from another exception. Exception classes list all exceptions, which can be raised by any OCCT function.

Open CASCADE Technology also provides support for converting system signals (such as access violation or division by zero) to exceptions, so that such situations can be safely handled with the same uniform approach.

However, in order to support this functionality on various platforms, some special methods and workarounds are used. Though the implementation details are hidden and handling of OCCT exceptions is done basically in the same way as with C++, some peculiarities of this approach shall be taken into account and some rules must be respected.

The following paragraphs describe recommended approaches for using exceptions when working with Open CASCADE Technology.

2.6.2 Raising an Exception

“C++ like” Syntax

To raise an exception of a definite type method `Raise()` of the appropriate exception class shall be used.

```
DomainError::Raise("Cannot cope with this condition");
```

raises an exception of *DomainError* type with the associated message “Cannot cope with this condition”, the message being optional. This exception may be caught by a handler of a *DomainError* type as follows:

```
try {
    OCC_CATCH_SIGNALS
    // try block
}
catch(DomainError) {
    // handle DomainError exceptions here
}
```

Regular usage

Exceptions should not be used as a programming technique, to replace a “goto” statement for example, but as a way to protect methods against misuse. The caller must make sure its condition is such that the method can cope with it.

Thus,

- No exception should be raised during normal execution of an application.
- A method which may raise an exception should be protected by other methods allowing the caller to check on the validity of the call.

For example, if you consider the *TCollection_Array1* class used with:

- *Value* function to extract an element
- *Lower* function to extract the lower bound of the array
- *Upper* function to extract the upper bound of the array.

then, the *Value* function may be implemented as follows:

```
Item TCollection_Array1::Value (const Standard_Integer&index) const
{
    // where r1 and r2 are the lower and upper bounds of the array
    if(index < r1 || index > r2) {
        OutOfRange::Raise("Index out of range in Array1::Value");
    }
    return contents[index];
}
```

Here validity of the index is first verified using the Lower and Upper functions in order to protect the call. Normally the caller ensures the index being in the valid range before calling *Value()*. In this case the above implementation of *Value* is not optimal since the test done in *Value* is time-consuming and redundant.

It is a widely used practice to include that kind of protections in a debug build of the program and exclude in release (optimized) build. To support this practice, the macros *Raise_if()* are provided for every OCCT exception class:

```
<ErrorTypeName>_Raise_if(condition, "Error message");
```

where *ErrorTypeName* is the exception type, *condition* is the logical expression leading to the raise of the exception, and *Error message* is the associated message.

The entire call may be removed by defining one of the pre-processor symbols *No_Exception* or *No_<ErrorTypeName>* at compile-time:

```
#define No_Exception /* remove all raises */
```

Using this syntax, the *Value* function becomes:

```
Item TCollection_Array1::Value (const Standard_Integer&index) const
{
    OutOfRange_Raise_if(index < r1 || index > r2,
        "index out of range in Array1::Value");
    return contents[index];
}
```

2.6.3 Handling an Exception

When an exception is raised, control is transferred to the nearest handler of a given type in the call stack, that is:

- the handler whose try block was most recently entered and not yet exited,
- the handler whose type matches the raise expression.

A handler of T exception type is a match for a raise expression with an exception type of E if:

- T and E are of the same type, or
- T is a supertype of E.

In order to handle system signals as exceptions, make sure to insert macro *OCC_CATCH_SIGNALS* somewhere in the beginning of the relevant code. The recommended location for it is first statement after opening brace of *try {}* block.

As an example, consider the exceptions of type *NumericError*, *Overflow*, *Underflow* and *ZeroDivide*, where *NumericError* is the parent type of the three others.

```
void f(1)
{
    try {
        OCC_CATCH_SIGNALS
        // try block
    }
    catch(Standard_Overflow) { // first handler
        // ...
    }
}
```

```

    }
    catch(Standard_NumericError) { // second handler
        // ...
    }
}

```

Here, the first handler will catch exceptions of *Overflow* type and the second one - exceptions of *NumericError* type and all exceptions derived from it, including *Underflow* and *ZeroDivide*.

The handlers are checked in order of appearance, from the nearest to the most distant try block, until one matches the raise expression. For a try block, it would be a mistake to place a handler for a base exception type ahead of a handler for its derived type since that would ensure that the handler for the derived exception would never be invoked.

```

void f(1)
{
    int i = 0;
    {
        try {
            OCC_CATCH_SIGNALS
            g(i); // i is accessible
        }
        // statement here will produce compile-time errors !
        catch(Standard_NumericError) {
            // fix up with possible reuse of i
        }
        // statement here may produce unexpected side effect
    }
    . . .
}

```

The exceptions form a hierarchy tree completely separated from other user defined classes. One exception of type *Failure* is the root of the entire exception hierarchy. Thus, using a handler with *Failure* type catches any OCCT exception. It is recommended to set up such a handler in the main routine.

The main routine of a program would look like this:

```

#include <Standard_ErrorHandler.hxx>
#include <Standard_Failure.hxx>
#include <iostream.h>
int main (int argc, char* argv[])
{
    try {
        OCC_CATCH_SIGNALS
        // main block
        return 0;
    }
    catch(Standard_Failure) {
        Handle(Standard_Failure) error = Standard_Failure::Caught ();
        cout << error << endl;
    }
    return 1;
}

```

In this example function *Caught* is a static member of *Failure* that returns an exception object containing the error message built in the raise expression. Note that this method of accessing a raised object is used in Open CASCADE Technology instead of usual C++ syntax (receiving the exception in catch argument).

Though standard C++ scoping rules and syntax apply to try block and handlers, note that on some platforms Open CASCADE Technology may be compiled in compatibility mode when exceptions are emulated by long jumps (see below). In this mode it is required that no statement precedes or follows any handler. Thus it is highly recommended to always include a try block into additional {} braces. Also this mode requires that header file *Standard_ErrorHandler.hxx* be included in your program before a try block, otherwise it may fail to handle Open CASCADE Technology exceptions; furthermore *catch()* statement does not allow passing exception object as argument.

Catching signals

In order for the application to be able to catch system signals (access violation, division by zero, etc.) in the same way as other exceptions, the appropriate signal handler shall be installed in the runtime by the method *OSD::SetSignal()*.

Normally this method is called in the beginning of the *main()* function. It installs a handler that will convert system signals into OCCT exceptions.

In order to actually convert signals to exceptions, macro *OCC_CATCH_SIGNALS* needs to be inserted in the source code. The typical place where this macro is put is beginning of the *try{} block* which catches such exceptions.

2.6.4 Implementation on various platforms.

The exception handling mechanism in Open CASCADE Technology is implemented in different ways depending on the preprocessor macros *NO_CXX_EXCEPTIONS* and *OCC_CONVERT_SIGNALS*, which shall be consistently defined by compilation procedures for both Open CASCADE Technology and user applications:

1. On Windows, these macros are not defined by default, and normal C++ exceptions are used in all cases, including throwing from signal handler. Thus the behavior is as expected in C++.
2. On Linux, macro *OCC_CONVERT_SIGNALS* is defined by default. The C++ exception mechanism is used for catching exceptions and for throwing them from normal code. Since it is not possible to throw C++ exception from system signal handler function, that function makes a long jump to the nearest (in the execution stack) invocation of macro *OCC_CATCH_SIGNALS*, and only there the C++ exception gets actually thrown. The macro *OCC_CATCH_SIGNALS* is defined in the file *Standard_ErrorHandler.hxx*. Therefore, including this file is necessary for successful compilation of a code containing this macro.

This mode differs from standard C++ exception handling only for signals:

- macro *OCC_CATCH_SIGNALS* is necessary (besides call to *OSD::SetSignal()* described above) for conversion of signals into exceptions;
 - the destructors for automatic C++ objects created in the code after that macro and till the place where signal is raised will not be called in case of signal, since no C++ stack unwinding is performed by long jump.
3. On Linux Open CASCADE Technology can also be compiled in compatibility mode. In that case macro *NO_CXX_EXCEPTIONS* is defined and the C++ exceptions are simulated with C long jumps. As a consequence, the behavior is slightly different from that expected in the C++ standard.

While exception handling with *NO_CXX_EXCEPTIONS* is very similar to C++ by syntax, it has a number of peculiarities that should be taken into account:

- try and catch are actually macros defined in the file *Standard_ErrorHandler.hxx*. Therefore, including this file is necessary for handling OCCT exceptions;
- due to being a macro, catch cannot contain a declaration of the exception object after its type; only type is allowed in the catch statement. Use method *Standard_Failure::Caught()* to access an exception object;
- catch macro may conflict with some STL classes that might use *catch(...)* statements in their header files. So STL headers should not be included after *Standard_ErrorHandler.hxx*;
- Open CASCADE Technology try/catch block will not handle normal C++ exceptions; however this can be achieved using special workarounds;
- the try macro defines a C++ object that holds an entry point in the exception handler. Therefore if exception is raised by code located immediately after the try/catch block but on the same nesting level as *try*, it may be handled by that *catch*. This may lead to unexpected behavior, including infinite loop. To avoid that, always surround the try/catch block with curved brackets;
- the destructors of C++ objects allocated on the stack after handler initialization are not called by exception raising.

In general, for writing platform-independent code it is recommended to insert macros *OCC_CATCH_SIGNALS* in *try {}* blocks or other code where signals may happen. For compatibility with previous versions of Open CASCADE Technology the limitations described above for *NO_CXX_EXCEPTIONS* shall be assumed.

2.7 Plug-In Management

2.7.1 Distribution by Plug-Ins

A plug-in is a component that can be loaded dynamically into a client application, not requiring to be directly linked to it. The plug-in is not bound to its client, i.e. the plug-in knows only how its connection mechanism is defined and how to call the corresponding services.

A plug-in can be used to:

- implement the mechanism of a *driver*, i.e dynamically changing a driver implementation according to the current transactions (for example, retrieving a document stored in another version of an application),
- restrict processing resources to the minimum required (for example, it does not load any application services at run-time as long as the user does not need them),
- facilitate modular development (an application can be delivered with base functions while some advanced capabilities will be added as plug-ins when they are available).

The plug-in is identified with the help of the global universal identifier (GUID). The GUID includes lower case characters and cannot end with a blank space.

Once it has been loaded, the call to the services provided by the plug-in is direct (the client is implemented in the same language as the plug-in).

C++ Plug-In Implementation

The C++ plug-in implements a service as an object with functions defined in an abstract class (this abstract class and its parent classes with the GUID are the only information about the plug-in implemented in the client application). The plug-in consists of a sharable library including a method named *Factory* which creates the C++ object (the client cannot instantiate this object because the plug-in implementation is not visible). Foundation classes provide in the package *Plugin* a method named *Load()*, which enables the client to access the required service through a library.

That method reads the information regarding available plug-ins and their locations from the resource file *Plugin* found by environment variable *CSF_PluginDefaults*:

```
$CSF_PluginDefaults/.Plugin
```

The *Load* method looks for the library name in the resource file or registry through its GUID, for example, on UNIX:

```
! METADATADRIVER whose value must be OS or DM.

! FW
a148e300-5740-11d1-a904-080036aaa103.Location:

libFWOSPlugin.so
a148e300-5740-11d1-a904-080036aaa103.CCL:
/adv_44/CAS/BAG/FW-K4C/inc/FWOS.ccl

! FWDM
a148e301-5740-11d1-a904-080036aaa103.Location:
libFWDMPlugin.so
a148e301-5740-11d1-a904-080036aaa103.CCL:
/adv_44/CAS/BAG/DESIGNMANAGER-K4C/inc/DMAccess.ccl|/
adv_44/CAS/BAG/DATABASE-K4C/inc/FWDMCommands.ccl
a148e301-5740-11d1-a904-080036aaa103.Message: /adv_44/CAS/
BAG/DESIGNMANAGER-K4C/etc/locale/DMAccess

! Copy-Paste
5ff7dc00-8840-11d1-b5c2-00a0c9064368.Location:
libCDMShapeDriversPlugin.so
5ff7dc01-8840-11d1-b5c2-00a0c9064368.Location:
libCDMShapeDriversPlugin.so
5ff7dc02-8840-11d1-b5c2-00a0c9064368.Location:
libCDMShapeDriversPlugin.so
5ff7dc03-8840-11d1-b5c2-00a0c9064368.Location:
libCDMShapeDriversPlugin.so
5ff7dc04-8840-11d1-b5c2-00a0c9064368.Location:
libCDMShapeDriversPlugin.so
```

```
! Plugs 2d plotters:
d0d722a2-b4c9-11d1-b561-0000f87a4710.location: FWOSPlugin
d0d722a2-b4c9-11d1-b561-0000f87a4710.CCL: /adv_44/CAS/BAG/
VIEWERS-K4C/inc/CCLPlotters.ccl
d0d722a2-b4c9-11d1-b561-0000f87a4710.Message: /adv_44/CAS/
BAG/VIEWERS-K4C/etc/locale/CCLPlotters

!SHAPES
e3708f72-b1a8-11d0-91c2-080036424703.Location:
libBRepExchangerPlugin.so
e3708f72-b1a8-11d0-91c2-080036424703.CCL: /adv_44/CAS/BAG/
FW-K4C/inc/BRep.ccl
```

Then the *Load* method loads the library according to the rules of the operating system of the host machine (for example, by using environment variables such as *LD_LIBRARY_PATH* with Unix and *PATH* with Windows). After that it invokes the *Factory* method to return the object which supports the required service. The client may then call the functions supported by this object.

C++ Client Plug-In Implementation

To invoke one of the services provided by the plug-in, you may call the *Plugin::ServiceFactory* global function with the *Standard_GUID* of the requested service as follows:

```
Handle (FADriver_PartStorer)::DownCast
(Plugin::ServiceFactory
(Plugin_ServiceId(yourStandardGUID)))
```

Let us take *FAFactory.cxx* as an example:

```
#include <FAFactory.ixx>

#include <FADriver_PartRetriever.hxx>
#include <FADriver_PartStorer.hxx>
#include <FirstAppSchema.hxx>
#include <Standard_GUID.hxx>
#include <Standard_Failure.hxx>
#include <FACDM_Application.hxx>
#include <Plugin_Macro.hxx>

PLUGIN (FAFactory)

static Standard_GUID
StorageDriver("45b3c690-22f3-11d2-b09e-0000f8791463");
static Standard_GUID
RetrievalDriver("45b3c69c-22f3-11d2-b09e-0000f8791463");
static Standard_GUID
Schema("45b3c6a2-22f3-11d2-b09e-0000f8791463");

//=====
// function : Factory
// purpose :
//=====

Handle (Standard_Transient) FAFactory::Factory(const Standard_GUID& aGUID)
{
    if(aGUID == StorageDriver) {
        cout << "FAFactory : Create store driver" << endl;
        static Handle(FADriver_PartStorer) sd = new FADriver_PartStorer();
        return sd;
    }

    if(aGUID == RetrievalDriver) {
        cout << "FAFactory : Create retrieve driver" << endl;
        static Handle(FADriver_PartRetriever) rd = new FADriver_PartRetriever();
        return rd;
    }

    if(aGUID == Schema) {
        cout << "FAFactory : Create schema" << endl;
        static Handle(FirstAppSchema) s = new FirstAppSchema();
        return s;
    }

    Standard_Failure::Raise("FAFactory: unknown GUID");
    Handle(Standard_Transient) t;
    return t;
}
```

Without using the Software Factory

To create a factory without using the Software Factory, define a *dll* project under Windows or a library under UNIX by using a source file as specified above. The *FAFactory* class is implemented as follows:

```
#include <Handle_Standard_Transient.hxx>
#include <Standard_Macro.hxx>
class Standard_Transient;
class Standard_GUID;
class FAFactory {
public:
    Standard_EXPORT static Handle_Standard_Transient
        Factory(const Standard_GUID& aGUID) ;
    . . .
};
```

3 Collections, Strings, Quantities and Unit Conversion

3.1 Collections

3.1.1 Overview

The **Collections** component contains the classes that handle dynamically sized aggregates of data. They include a wide range of collections such as arrays, lists and maps.

Collections classes are *generic* (C++ template-like), that is, they define a structure and algorithms allowing to hold a variety of objects which do not necessarily inherit from a unique root class (similarly to C++ templates).

When you need to use a collection of a given type of object you must *instantiate* it for this specific type of element. Once this declaration is compiled, all the functions available on the generic collection are available on your *instantiated class*.

However, note that:

- Each collection directly used as an argument in OCCT public syntax is instantiated in an OCCT component.
- The *TColStd* package (**Collections of Standard Objects** component) provides numerous instantiations of these generic collections with objects from the **Standard** package or from the **Strings** component. The **Collections** component provides a wide range of generic collections:
- **Arrays** are generally used for a quick access to the item, however an array is a fixed sized aggregate.
- **Sequences** are variable-sized structures, they avoid the use of large and quasi-empty arrays. A sequence item is longer to access than an array item: only an exploration in sequence is effective (but sequences are not adapted for numerous explorations). Arrays and sequences are commonly used as data structures for more complex objects.
- **Maps** are dynamic structures, where the size is constantly adapted to the number of inserted items and access to an item is the fastest. Maps structures are commonly used in cases of numerous explorations: they are typically internal data structures for complex algorithms.
- **Lists** are similar to sequences but have different algorithms to explore them.
- Specific iterators for sequences and maps.

Most collections follow value semantics: their instances are the actual collections, not **handles** to a collection. Only arrays and sequences may also be manipulated by handle, and therefore shared.

Each collection directly used as an argument in Open CASCADE Technology public syntax is instantiated in an OCCT component using the corresponding generic class in package *TCollection*, by means of compiling the CDL declaration of the instance. Thus OCCT generic classes require compilation of definitions in the CDL language and therefore can only be instantiated in WOK.

If you do not use CDL in your project (CDL compilation under WOK is necessary to instantiate any generic Collection from package *TCollection*), then you should use the Collections defined in *NCollection* package. It contains definitions of the same generic collection classes described above, but in a form of C++ templates. Therefore, to instantiate any collection type no additional support is required beyond the ANSI C++ compiler.

3.1.2 Generic general-purpose Aggregates

TCollection_Array1

These are unidimensional arrays similar to C arrays, i.e. of fixed size but dynamically dimensioned at construction time. As with a C array, the access time for an *Array1* indexed item is constant and is independent of the array size. Arrays are commonly used as elementary data structures for more complex objects.

Array1 is a generic class which depends on *Item*, the type of element in the array.

Array1 indexes start and end at a user-defined position. Thus, when accessing an item, you must base the index on the lower and upper bounds of the array.

TCollection_Array2

These are bi-dimensional arrays of fixed size but dynamically dimensioned at construction time.

As with a C array, the access time for an *Array2* indexed item is constant and is independent of the array size. Arrays are commonly used as elementary data structures for more complex objects.

Array2 is a generic class which depends on *Item*, the type of element in the array.

Array2 indexes start and end at a user-defined position. Thus, when accessing an item, you must base the index on the lower and upper bounds of the array.

TCollection_HArray1

These are unidimensional arrays similar to C arrays, i.e. of fixed size but dynamically dimensioned at construction time. As with a C array, the access time for an *HArray1* or *HArray2* indexed item is constant and is independent of the array size. Arrays are commonly used as elementary data structures for more complex objects.

HArray1 objects are **handles** to arrays.

- *HArray1* arrays may be shared by several objects.
- You may use a *TCollection_Array1* structure to have the actual array.

HArray1 is a generic class which depends on two parameters:

- **Item**, the type of element in the array,
- **Array**, the actual type of array handled by *HArray1*. This is an instantiation with **Item** of the *TCollection_Array1* generic class.

HArray1 indexes start and end at a user-defined position. Thus, when accessing an item, you must base the index on the lower and upper bounds of the array.

TCollection_HArray2

These are bi-dimensional arrays of fixed size but dynamically dimensioned at construction time.

As with a C array, the access time for an *HArray2* indexed item is constant and is independent of the array size. Arrays are commonly used as elementary data structures for more complex objects.

HArray2 objects are **handles** to arrays.

- *HArray2* arrays may be shared by several objects.
- You may use a *TCollection_Array2* structure to have the actual array.

HArray2 is a generic class which depends on two parameters:

- *Item*, the type of element in the array,
- *Array*, the actual type of array handled by *HArray2*. This is an instantiation with *Item* of the *TCollection_Array2* generic class.

TCollection_HSequence

This is a sequence of items indexed by an integer.

Sequences have about the same goal as unidimensional arrays *TCollection_HArray1*: they are commonly used as elementary data structures for more complex objects. But a sequence is a structure of *variable size*: sequences avoid the use of large and quasi-empty arrays. Exploring a sequence data structure is effective when the exploration is done in sequence; elsewhere a sequence item is longer to read than an array item. Note also that sequences are not effective when they have to support numerous algorithmic explorations: a map is better for that.

HSequence objects are **handles** to sequences.

- *HSequence* sequences may be shared by several objects.
- You may use a *TCollection_Sequence* structure to have the actual sequence.

HSequence is a generic class which depends on two parameters:

- *Item*, the type of element in the sequence,
- *Seq*, the actual type of sequence handled by *HSequence*. This is an instantiation with *Item* of the *TCollection_Sequence* generic class.

TCollection_HSet

This is a collection of non-ordered items without any duplicates. At each transaction, the system checks if there are no duplicates. *HSet* objects are *handles* to sets. *HSet* is a generic class which depends on two parameters:

- *Item*, the type of element in the set,
- *Set*, the actual type of set handled by *HSet*. This is an instantiation with *TCollection_Set* generic class.

TCollection_List

These are ordered lists of non-unique objects which can be accessed sequentially using an iterator. Item insertion in a list is very fast at any position. But searching for items by value may be slow if the list is long, because it requires a sequential search.

List is a generic class, which depends on *Item*, the type of element in the structure. Use a *ListIterator* iterator to explore a *List* structure.

An iterator class is automatically instantiated from the *TCollection_ListIterator* class at the time of instantiation of a *List* structure.

A sequence is a better structure when searching for items by value.

Queues and stacks are other kinds of list with a different access to data.

TCollection_Queue

This is a structure, where items are added at the end and removed from the front. The first item entered will be the first removed (**FIFO** structure: First In First Out). *Queue* is a generic class which depends on *Item*, the type of element in the structure.

TCollection_Sequence

This is a sequence of items indexed by an integer. Sequences have about the same goal as unidimensional arrays (*TCollection_Array1*): they are commonly used as elementary data structures for more complex objects. But a sequence is a structure of *variable size*: sequences avoid the use of large and quasi-empty arrays. Exploring a sequence data structure is effective when the exploration is done *in sequence*; elsewhere a sequence item is longer to read than an array item. Note also that sequences are not effective when they have to support numerous algorithmic explorations: a map is better for that.

Sequence is a generic class which depends on *Item*, the type of element in the sequence.

TCollection_Set

This is a collection of non-ordered items without any duplicates. At each transaction, the system checks if there are no duplicates.

A set generates the same result as a map. A map is more effective; so it is advisable to use maps instead of sets.

Set is a generic class which depends on *Item*, the type of element in the set. Use *SetIterator* iterator to explore a *Set* structure.

TCollection_Stack

This is a structure where items are added and removed from the top. The last item entered will be the first removed.

Stack is a generic class which depends on *Item*, the type of element in the structure. Use a *StackIterator* iterator to explore a *Stack* structure.

3.1.3 Generic Maps

Maps are dynamically extended data structures where data is quickly accessed with a key. *TCollection_BasicMap* is a root class for maps.

General properties of maps

Map items may contain complex non-unitary data, thus it can be difficult to manage them with an array. The map allows a data structure to be indexed by complex data.

The size of a map is dynamically extended. So a map may be first dimensioned for a little number of items. Maps avoid the use of large and quasi-empty arrays.

The access time for a map item is much better than the one for a sequence, list, queue or stack item. It is comparable with the access time for an array item. It depends on the size of the map and on the quality of the user redefinable function (the *hashing function*) to find quickly where is the item.

The performance of a map exploration may be better of an array exploration because the size of the map is adapted to the number of inserted items.

That is why maps are commonly used as internal data structures for algorithms.

Definitions

A map is a data structure for which data are addressed by *keys*.

Once inserted in the map, a map item is referenced as an *entry* of the map.

Each entry of the map is addressed by a key. Two different keys address two different entries of the map. The position of an entry in the map is called a *bucket*.

A map is dimensioned by its number of buckets, i.e. the maximum number of entries in the map. The performance of a map is conditioned by the number of buckets.

The *hashing function* transforms a key into a bucket index. The number of values that can be computed by the hashing function is equal to the number of buckets of the map.

Both the hashing function and the equality test between two keys are provided by a *hasher* object.

A map may be explored by a *map iterator*. This exploration provides only inserted entries in the map (i.e. non empty buckets).

Collections of generic maps

The *Collections* component provides numerous generic derived maps.

These maps include automatic management of the number of *buckets*: they are automatically resized when the number of *keys* exceeds the number of buckets. If you have a fair idea of the number of items in your map, you can save on automatic resizing by specifying a number of buckets at the time of construction, or by using a resizing function. This may be considered for crucial optimization issues.

Keys, *items* and *hashers* are parameters of these generic derived maps.

TCollection_MapHasher class describes the functions required by any *hasher*, which is to be used with a map instantiated from the **Collections** component.

An iterator class is automatically instantiated at the time of instantiation of a map provided by the *Collections* component if this map is to be explored with an iterator. Note that some provided generic maps are not to be explored with an iterator but with indexes (*indexed maps*).

TCollection_DataMap

This is a map used to store keys with associated items. An entry of **DataMap** is composed of both the key and the item. The *DataMap* can be seen as an extended array where the keys are the indexes.

DataMap is a generic class which depends on three parameters:

- *Key* is the type of key for an entry in the map,
- *Item* is the type of element associated with a key in the map,
- *Hasher* is the type of hasher on keys.

Use a *DataMapIterator* iterator to explore a *DataMap* map.

An iterator class is automatically instantiated from the *TCollection_DataMapIterator* generic class at the time of instantiation of a *DataMap* map.

TCollection_MapHasher class describes the functions required for a *Hasher* object.

TCollection_DoubleMap

This is a map used to bind pairs of keys (*Key1*,*Key2*) and retrieve them in linear time.

Key1 is referenced as the first key of the *DoubleMap* and *Key2* as the second key.

An entry of a *DoubleMap* is composed of a pair of two keys: the first key and the second key.

DoubleMap is a generic class which depends on four parameters:

- *Key1* is the type of the first key for an entry in the map,
- *Key2* is the type of the second key for an entry in the map,
- *Hasher1* is the type of hasher on first keys,
- *Hasher2* is the type of hasher on second keys.

Use *DoubleMapIterator* to explore a *DoubleMap* map.

An iterator class is automatically instantiated from the *TCollection_DoubleMapIterator* class at the time of instantiation of a *DoubleMap* map.

TCollection_MapHasher class describes the functions required for a *Hasher1* or a *Hasher2* object.

TCollection_IndexedDataMap

This is map to store keys with associated items and to bind an index to them.

Each new key stored in the map is assigned an index. Indexes are incremented as keys (and items) stored in the map. A key can be found by the index, and an index can be found by the key. No key but the last can be removed, so the indexes are in the range 1...Upper, where *Upper* is the number of keys stored in the map. An item is stored with each key.

An entry of an *IndexedDataMap* is composed of both the key, the item and the index. An *IndexedDataMap* is an ordered map, which allows a linear iteration on its contents. It combines the interest:

- of an array because data may be accessed with an index,
- and of a map because data may also be accessed with a key.

IndexedDataMap is a generic class which depends on three parameters:

- *Key* is the type of key for an entry in the map,
- *Item* is the type of element associated with a key in the map,
- *Hasher* is the type of hasher on keys.

TCollection_IndexedMap

This is map used to store keys and to bind an index to them.

Each new key stored in the map is assigned an index. Indexes are incremented as keys stored in the map. A key can be found by the index, and an index by the key. No key but the last can be removed, so the indexes are in the range 1...Upper where Upper is the number of keys stored in the map.

An entry of an *IndexedMap* is composed of both the key and the index. An *IndexedMap* is an ordered map, which allows a linear iteration on its contents. But no data is attached to the key. An *IndexedMap* is typically used by an algorithm to know if some action is still performed on components of a complex data structure.

IndexedMap is a generic class which depends on two parameters:

- *Key* is the type of key for an entry in the map,
- *Hasher* is the type of hasher on keys.

TCollection_Map

This is a basic hashed map, used to store and retrieve keys in linear time.

An entry of a *Map* is composed of the key only. No data is attached to the key. A *Map* is typically used by an algorithm to know if some action is still performed on components of a complex data structure.

Map is a generic class which depends on two parameters:

- *Key* is the type of key in the map,
- *Hasher* is the type of hasher on keys.

Use a *MapIterator* iterator to explore a *Map* map.

TCollection_MapHasher

This is a hasher on the *keys* of a map instantiated from the *Collections* component.

A hasher provides two functions:

- *HashCode()* function transforms a key into a bucket index in the map. The number of values that can be computed by the hashing function is equal to the number of buckets in the map.
- *IsEqual* is the equality test between two keys. Hashers are used as parameters in generic maps provided by the **Collections** component.

MapHasher is a generic class which depends on the type of keys, providing that *Key* is a type from the *Standard* package. In such cases *MapHasher* may be directly instantiated with *Key*. Note that the package *TColStd* provides some of these instantiations.

Elsewhere, if *Key* is not a type from the *Standard* package you must consider *MapHasher* as a template and build a class which includes its functions, in order to use it as a hasher in a map instantiated from the *Collections* component.

Note that *TCollection_AsciiString* and *TCollection_ExtendedString* classes correspond to these specifications, in consequence they may be used as hashers: when *Key* is one of these two types you may just define the hasher as the same type at the time of instantiation of your map.

3.1.4 Iterators

TCollection_BasicMapIterator

This is a root class for map iterators. A map iterator provides a step by step exploration of all the entries of a map.

TCollection_DataMapIterator

These are functions used for iterating the contents of a *DataMap* map.

A map is a non-ordered data structure. The order in which entries of a map are explored by the iterator depends on its contents and change when the map is edited. It is not recommended to modify the contents of a map during the iteration: the result is unpredictable.

TCollection_DoubleMapIterator

These are functions used for iterating the contents of a *DoubleMap* map.

TCollection_ListIterator

These are functions used for iterating the contents of a *List* data structure.

A *ListIterator* object can be used to go through a list sequentially, and as a bookmark to hold a position in a list. It is not an index, however. Each step of the iteration gives the current position of the iterator, to which corresponds the current item in the list. The current position is not defined if the list is empty, or when the exploration is finished.

An iterator class is automatically instantiated from this generic class at the time of instantiation of a *List* data structure.

TCollection_MapIterator

These are functions used for iterating the contents of a *Map* map. An iterator class is automatically instantiated from this generic class at the time of instantiation of a *Map* map.

TCollection_SetIterator

These are functions used for iterating the contents of a *Set* data structure. An iterator class is automatically instantiated from this generic class at the time of instantiation of a *Set* structure.

TCollection_StackIterator

These are functions used for iterating the contents of a **Stack** data structure.

An iterator class is automatically instantiated from this generic class at the time of instantiation of a *Stack* structure.

3.2 Collections of Standard Objects

3.2.1 Overview

While generic classes of the *TCollection* package are the root classes that describe the generic purpose of every type of collection, classes effectively used are extracted from the *TColStd* package. The *TColStd* and *TShort* packages provide frequently used instantiations of generic classes with objects from the *Standard* package or strings from the *TCollection* package.

3.2.2 Description

These instantiations are the following:

- Unidimensional arrays: instantiations of the *TCollection_Array1* generic class with *Standard* Objects and *TCollection* strings.
- Bidimensional arrays: instantiations of the *TCollection_Array2* generic class with *Standard* Objects.
- Unidimensional arrays manipulated by handles: instantiations of the *TCollection_HArray1* generic class with *Standard* Objects and *TCollection* strings.
- Bidimensional arrays manipulated by handles: instantiations of the *TCollection_HArray2* generic class with *Standard* Objects.

- Sequences: instantiations of the *TCollection_Sequence* generic class with *Standard* objects and *TCollection* strings.
- Sequences manipulated by handles: instantiations of the *TCollection_HSequence* generic class with *Standard* objects and *TCollection* strings.
- Lists: instantiations of the *TCollection_List* generic class with *Standard* objects.
- Queues: instantiations of the *TCollection_Queue* generic class with *Standard* objects.
- Sets: instantiations of the *TCollection_Set* generic class with *Standard* objects.
- Sets manipulated by handles: instantiations of the *TCollection_HSet* generic class with *Standard* objects.
- Stacks: instantiations of the *TCollection_Stack* generic class with *Standard* objects.
- Hashers on map keys: instantiations of the *TCollection_MapHasher* generic class with *Standard* objects.
- Basic hashed maps: instantiations of the *TCollection_Map* generic class with *Standard* objects.
- Hashed maps with an additional item: instantiations of the *TCollection_DataMap* generic class with *Standard* objects.
- Basic indexed maps: instantiations of the *TCollection_IndexedMap* generic class with *Standard* objects.
- Indexed maps with an additional item: instantiations of the *TCollection_IndexedDataMap* generic class with *Standard_Transient* objects.
- Class *TColStd_PackedMapOfInteger* provides alternative implementation of map of integer numbers, optimized for both performance and memory usage (it uses bit flags to encode integers, which results in spending only 24 bytes per 32 integers stored in optimal case). This class also provides Boolean operations with maps as sets of integers (union, intersection, subtraction, difference, checks for equality and containment).

3.3 NCollections

3.3.1 Overview

NCollection package allows to not use WOK development environment in projects. Though it is quite natural to develop a code based on OCCT in any environment accepted in the industry, there is still one limitation: the so-called OCCT generic classes provided in *TCollection* package require compilation of the definitions in the CDL language and therefore can only be instantiated in WOK development environment.

The *NCollection* library provides a full replacement of all *TCollection* generic classes so that any OCCT collection could be instantiated via C++ template or macro definitions. It can be used in WOK as a package development unit, or in any other configuration, since it only uses the standard capabilities of C++ compiler.

Macro definitions of these classes are stored in *NCollection_Define*.hxx* files. These definitions are now obsolete though still can be used, particularly for compatibility with the existing code. On the contrary, template classes in *NCollection_*.hxx* files are recommended, they are supported by OPEN CASCADE Company and further developed according to various needs.

The technology used in this unit continues and complements the one offered in the header file *Standard_DefineHandle* – allowing to implement outside CDL the classes managed by *Handle*, also providing OCCT RTTI support.

3.3.2 Instantiation of collection classes

Now we are going to implement the definitions from *NCollection* in the code, taking as an example a sequence of points (analogue of *TColgp_SequenceOfPnt*).

Definition of a new collection class

Let the header file be *MyPackage_SequenceOfPnt.hxx* :

Template class instantiation

```
#include <NCollection_Sequence.hxx>
#include <gp_Pnt.hxx>
typedef NCollection_Sequence<gp_Pnt> MyPackage_SequenceOfPnt;
```

Macro instantiation

```
#include <NCollection_DefineSequence.hxx>
#include <gp_Pnt.hxx>
```

The following line defines the class "base collection of points"

```
DEFINE_BASECOLLECTION(MyPackage_BaseCollPnt, gp_Pnt)
```

The following line defines the class *MyPackage_SequenceOfPnt*

```
DEFINE_SEQUENCE (MyPackage_SequenceOfPnt, MyPackage_BaseCollPnt , gp_Pnt)
```

Definition of a new collection class managed by Handle

It is necessary to provide relevant statements both in the header (.hxx file) and the C++ source (.cxx file).

Header file *MyPackage_HSequenceOfPnt.hxx*:

```
#include <NCollection_DefineHSequence.hxx>
#include <gp_Pnt.hxx>
```

The following line defines the class "base collection of points"

```
DEFINE_BASECOLLECTION(MyPackage_BaseCollPnt, gp_Pnt)
```

The following line defines the class *MyPackage_SequenceOfPnt*

```
DEFINE_SEQUENCE (MyPackage_SequenceOfPnt, MyPackage_BaseCollPnt, gp_Pnt)
```

The following line defines the classes *MyPackage_HSequenceOfPnt* and *Handle(MyPackage_HSequenceOfPnt)*

```
DEFINE_HSEQUENCE (MyPackage_HSequenceOfPnt, MyPackage_SequenceOfPnt)
```

Source code file will be *MyPackage_HSequenceOfPnt.cxx* or any other .cxx file (once in the whole project):

```
IMPLEMENT_HSEQUENCE (MyPackage_HSequenceOfPnt)
```

3.3.3 Class architecture

To understand the basic architecture of the classes instantiated from *NCollection* macros, please refer to the documentation on *TCollection* package, particularly to CDL files. Almost all API described there is preserved in *NCollection*. Changes are described in corresponding *NCollection_Define*.hxx* files.

Nevertheless the internal structure of *NCollection* classes is more complex than that of *TCollection* ones, providing more capabilities. The advanced layer of architecture is described in the next chapter Features.

There are two principal changes:

- In *TCollection* some classes (Stack, List, Set, Map, DataMap, DoubleMap) define the Iterator type, the name of Iterator being like *MyPackage_DoubleMapIteratorOfDoubleMapOfIntegerReal*. In *NCollection* each Iterator is always defined as subtype of the collection *MyPackage_DoubleMapOfIntegerReal::Iterator*.
- Hashed collections (of type Map*) require in *TCollection* that the special class *Map*Hasher* is defined. In *NCollection* it is only required that the global functions *IsEqual* and *HashCode* are defined.

Interface to classes defined in CDL

The classes defined above can be used as types for fields, parameters of methods and return values in CDL definitions. In our example, if *MyPackage* is a CDL package, you will need to create the file *MyPackage_SequenceOfPnt.hxx* containing or including the above definitions, and then to add the line: `imported SequenceOfPnt` to file *MyPackage.cdl*;

Then the new collection type can be used in any CDL definition under the name *SequenceOfPnt* from *MyPackage*.

3.3.4 New collection types

There are 4 collection types provided as template classes:

- *NCollection_Vector*
- *NCollection_UBTree*
- *NCollection_SparseArray*
- *NCollection_CellFilter*

Vector

This type is implemented internally as a list of arrays of the same size. Its properties:

- Direct (constant-time) access to members like in *Array1* type; data are allocated in compact blocks, this provides faster iteration.
- Can grow without limits, like *List*, *Stack* or *Queue* types.
- Once having the size *LEN*, it cannot be reduced to any size less than *LEN* – there is no operation of removal of items.

Insertion in a *Vector*-type class is made by two methods:

- *SetValue(ind, theValue)* – array-type insertion, where *ind* is the index of the inserted item, can be any non-negative number. If it is greater than or equal to *Length()*, then the vector is enlarged (its *Length()* grows).
- *Append(theValue)* – list-type insertion equivalent to *myVec.SetValue(myVec.Length(), theValue)* – incrementing the size of the collection.

Other essential properties coming from *List* and *Array1* type collections:

- Like in *List*, the method *Clear()* destroys all contained objects and releases the allocated memory.
- Like in *Array1*, the methods *Value()* and *ChangeValue()* return a contained object by index. Also, these methods have the form of overloaded operator *()*.

UBTree

The name of this type stands for “Unbalanced Binary Tree”. It stores the members in a binary tree of overlapped bounding objects (boxes or else). Once the tree of boxes of geometric objects is constructed, the algorithm is capable of fast geometric selection of objects. The tree can be easily updated by adding to it a new object with bounding box. The time of adding to the tree of one object is $O(\log(N))$, where *N* is the total number of objects, so the time of building a tree of *N* objects is $O(N(\log(N)))$. The search time of one object is $O(\log(N))$.

Defining various classes inheriting *NCollection_UBTree::Selector* we can perform various kinds of selection over the same b-tree object.

The object may be of any type allowing copying. Among the best suitable solutions there can be a pointer to an object, handled object or integer index of object inside some collection. The bounding object may have any dimension and geometry. The minimal interface of *TheBndType* (besides public empty and copy constructor and operator *=*) used in *UBTree* algorithm as follows:

```

class MyBndType
{
public:
    inline void                Add (const MyBndType& other);
    // Updates me with other bounding type instance

    inline Standard_Boolean    IsOut (const MyBndType& other) const;
    // Classifies other bounding type instance relatively me

    inline Standard_Real        SquareExtent() const;
    // Computes the squared maximal linear extent of me (for a box it is the squared diagonal of the box).
};

```

This interface is implemented in types of Bnd package: *Bnd_Box*, *Bnd_Box2d*, *Bnd_B2x*, *Bnd_B3x*.

To select objects you need to define a class derived from *UBTree::Selector* that should redefine the necessary virtual methods to maintain the selection condition. Usually this class instance is also used to retrieve selected objects after search. The class *UBTreeFiller* is used to randomly populate a *UBTree* instance. The quality of a tree is better (considering the speed of searches) if objects are added to it in a random order trying to avoid the addition of a chain of nearby objects one following another. Instantiation of *UBTreeFiller* collects objects to be added, and then adds them at once to the given *UBTree* instance in a random order using the Fisher-Yates algorithm. Below is the sample code that creates an instance of *NCollection_UBTree* indexed by 2D boxes (*Bnd_B2f*), then a selection is performed returning the objects whose bounding boxes contain the given 2D point.

```

typedef NCollection_UBTree<MyData, Bnd_B2f> UBTree;
typedef NCollection_List<MyData> ListOfSelected;
//! Tree Selector type
class MyTreeSelector : public UBTree::Selector
{
public:
    // This constructor initializes the selection criterion (e.g., a point)

    MyTreeSelector (const gp_XY& thePnt) : myPnt(thePnt) {}
    // Get the list of selected objects

    const ListOfSelected& ListAccepted () const
    { return myList; }
    // Bounding box rejection - definition of virtual method. @return True if theBox is outside the
    // selection criterion.

    Standard_Boolean Reject (const Bnd_B2f& theBox) const
    { return theBox.IsOut(myPnt); }
    // Redefined from the base class. Called when the bounding of theData conforms to the selection
    // criterion. This method updates myList.

    Standard_Boolean Accept (const MyData& theData)
    { myList.Append(theData); }
private:
    gp_XY        myPnt;
    ListOfSelected myList;
};
...
// Create a UBTree instance and fill it with data, each data item having the corresponding 2D box.

UBTree aTree;
NCollection_UBTreeFiller <MyData, Bnd_B2f> aTreeFiller(aTree);
for(;;) {
    const MyData& aData = ...;
    const Bnd_B2d& aBox = aData.GetBox();
    aTreeFiller.Add(aData, aBox);
}
aTreeFiller.Fill();
...
// Perform selection based on 'aPoint2d'
MyTreeSelector aSel(aPoint2d);
aTree.Select(aSel);
const ListOfSelected = aSel.ListAccepted();

```

SparseArray

This type has almost the same features as *Vector* but it allows to store items having scattered indices. In *Vector*, if you set an item with index 1000000, the container will allocate memory for all items with indices in the range 0-1000000. In *SparseArray*, only one small block of items will be reserved that contains the item with index 1000000.

This class can be also seen as equivalence of *DataMap<int, TheItem>* with the only one practical difference: it can be much less memory-expensive if items are small (e.g. Integer or Handle).

This type has both interfaces of *DataMap* and *Vector* to access items.

CellFilter

This class represents a data structure for sorting geometric objects in n-dimensional space into cells, with associated algorithm for fast checking of coincidence (overlapping, intersection, etc.) with other objects. It can be considered as a functional alternative to UBTree, as in the best case it provides the direct access to an object like in an n-dimensional array, while search with UBTree provides logarithmic law access time.

3.3.5 Features

NCollection defines some specific features, in addition to the public API inherited from TCollection classes.

Iterators

Every collection defines its Iterator class capable of iterating the members in some predefined order. Every Iterator is defined as a subtype of the particular collection type (e.g., `MyPackage_StackOfPnt::Iterator`). The order of iteration is defined by a particular collection type. The methods of Iterator are:

- `void Init (const MyCollection&)` - initializes the iterator on the collection object;
- `Standard_Boolean More () const` - makes a query if there is another non-iterated member;
- `void Next ()` - increments the iterator;
- `const ItemType& Value () const` - returns the current member;
- `ItemType& ChangeValue () const` - returns the mutable current member

```
typedef Ncollection_Sequence<gp_Pnt>
MyPackage_SequenceOfPnt
void Perform (const MyPackage_SequenceOfPnt& theSequence)
{
    MyPackage_SequenceOfPnt::Iterator anIter (theSequence);
    for (; anIter.More(); anIter.Next()) {
        const gp_Pnt aPnt& = anIter.Value();
        ....
    }
}
```

This feature is present only for some classes in *TCollection* (*Stack*, *List*, *Set*, *Map*, *DataMap*, *DoubleMap*). In *NCollection* it is generalized.

Class BaseCollection

There is a common abstract base class for all collections for a given item type (e.g., `gp_Pnt`). Developer X can arbitrarily name this base class like `MyPackage_BaseCollPnt` in the examples above. This name is further used in the declarations of any (non-abstract) collection class to designate the C++ inheritance.

This base class has the following public API:

- abstract class `Iterator` as the base class for all iterators described above;
- `Iterator& CreateIterator () const` - creates and returns the Iterator on this collection;
- `Standard_Integer Size () const` - returns the number of items in this collection;
- `void Assign (const NCollection_BaseCollection& theOther)` - copies the contents of the Other to this collection object;

These members enable accessing any collection without knowing its exact type. In particular, it makes possible to implement methods receiving objects of the abstract collection type:

```
#include <NCollection_Map.hxx>
typedef NCollection_Map<gp_Pnt> MyPackage_MapOfPnt;
typedef NCollection_BaseCollection<gp_Pnt> MyPackage_BaseCollPnt;
MyPackage_MapOfPnt aMapPnt;
```



```

....
gp_Pnt aResult = COG (aMapPnt);
....
gp_Pnt COG(const MyPackage_BaseCollPnt& theColl)
{
    gp_XYZ aCentreOfGravity(0., 0., 0.);
    // create type-independent iterator (it is abstract type instance)
    MyPackage_BaseCollString::Iterator& anIter = theColl.CreateIterator();
    for (; anIter.More(); anIter.Next()) {
        aCentreOfGravity += anIter.Value().XYZ();
    }
    return aCentreOfGravity / theColl.Size();
}

```

Note that there are fundamental differences between the shown type-independent iterator and the iterator belonging to a particular non-abstract collection:

- Type-independent iterator can only be obtained via the call `CreateIterator()`; the typed iterator - only via the explicit construction.
- Type-independent iterator is an abstract class, so it is impossible to copy it or to assign it to another collection object; the typed iterators can be copied and reassigned using the method `Init()` .
- Type-independent iterator is actually destroyed when its collection object is destroyed; the typed iterator is destroyed as any other C++ object in the corresponding C++ scope.

The common point between them is that it is possible to create any number of both types of iterators on the same collection object.

Heterogeneous Assign

The semantics of the method `Assign()` has been changed in comparison to *TCollection*. In *NCollection* classes the method `Assign()` is virtual and it receives the object of the abstract *BaseCollection* class (see the previous section). Therefore this method can be used to assign any collection type to any other if only these collections are instantiated on the same *ItemType*.

For example, conversion of *Map* into *Array1* is performed like this:

```

#include <NCollection_Map.hxx>
#include <NCollection_Array1.hxx>
typedef NCollection_Map<gp_Pnt> MyPackage_MapOfPnt;
typedef NCollection_Array1<gp_Pnt> MyPackage_Array1OfPnt;
....
MyPackage_MapOfPnt aMapPnt;
....
MyPackage_Array1OfPnt anArr1Pnt (1, aMapPnt.Size());
anArr1Pnt.Assign (aMapPnt); // heterogeneous assignment

```

There are some aspects to mention:

- Unlike in *TCollection*, in *NCollection* the methods `Assign` and `operator=` do not coincide. The former is a virtual method defined in the *BaseCollection* class. The latter is always defined in instance classes as a non-virtual inline method and it corresponds exactly to the method `Assign` in *TCollection* classes. Therefore it is always profitable to use `operator=` instead of `Assign` wherever the types on both sides of assignment are known.
- If the method `Assign` copies to *Array1* or *Array2* structure, it first checks if the size of the array is equal to the number of items in the copied collection object. If the sizes differ, an exception is thrown, as in *TCollection_Array1.gxx*.
- Copying to *Map*, *IndexedMap*, *DataMap* and *IndexedDataMap* can bring about a loss of data: when two or more copied data items have the same key value, only one item is copied and the others are discarded. It can lead to an error in the code like the following:

```

MyPackage_Array1OfPnt anArr1Pnt (1, 100);
MyPackage_MapOfPnt aMapPnt;
....
aMapPnt.Assign(anArr1Pnt);
anArr1Pnt.Assign(aMapPnt);

```

Objects of classes parameterised with two types (*DoubleMap*, *DataMap* and *IndexedDataMap*) cannot be assigned. Their method *Assign* throws the exception *Standard_TypeMismatch* (because it is impossible to check if the passed *BaseCollection* parameter belongs to the same collection type).

Allocator

All constructors of *NCollection* classes receive the *Allocator* Object as the last parameter. This is an object of a type managed by Handle, inheriting *NCollection_BaseAllocator*, with the following (mandatory) methods redefined:

```
Standard_EXPORT virtual void* Allocate (const size_t size);
Standard_EXPORT virtual void Free (void * anAddress);
```

It is used internally every time when the collection allocates memory for its item(s) and releases this memory. The default value of this parameter (empty *Handle*) designates the use of *NCollection_BaseAllocator* X where the functions *Standard::Allocate* and *Standard::Free* are called. Therefore if the user of *NCollection* does not specify any allocator as a parameter to the constructor of his collection, the memory management will be identical to the one in *TCollection* and other Open CASCADE Technology classes.

Nevertheless, it is possible to define a custom *Allocator* type to manage the memory in the most optimal or convenient way for his algorithms.

As one possible choice, the class *NCollection_IncAllocator* is included. Unlike *BaseAllocator*, it owns all memory it allocates from the system. Memory is allocated in big blocks (about 20kB) and the allocator keeps track of the amount of occupied memory. The method *Allocate* just increments the pointer to non-occupied memory and returns its previous value. Memory is only released in the destructor of *IncAllocator*, the method *Free* is empty. If used efficiently, this Allocator can greatly improve the performance of OCCT collections.

3.4 Strings

Strings are classes that handle dynamically sized sequences of characters based on ASCII/Unicode UTF-8 (normal 8-bit character type) and UTF-16/UCS-2 (16-bit character type). They provide editing operations with built-in memory management which make the relative objects easier to use than ordinary character arrays.

String classes provide the following services to manipulate character strings:

- Editing operations on string objects, using a built-in string manager
- Handling of dynamically-sized sequences of characters
- Conversion from/to ASCII and UTF-8 strings.

Strings may also be manipulated by handles and therefore shared.

3.4.1 Examples

TCollection_AsciiString

A variable-length sequence of ASCII characters (normal 8-bit character type). It provides editing operations with built-in memory management to make *AsciiString* objects easier to use than ordinary character arrays. *AsciiString* objects follow value semantics; that is, they are the actual strings, not handles to strings, and are copied through assignment. You may use *HAsciiString* objects to get handles to strings.

TCollection_ExtendedString

A variable-length sequence of "extended" (UNICODE) characters (16-bit character type). It provides editing operations with built-in memory management to make *ExtendedString* objects easier to use than ordinary extended character arrays.

ExtendedString objects follow value semantics; that is, they are the actual strings, not handles to strings, and are copied through assignment. You may use *HExtendedString* objects to get handles to strings.

TCollection_HAsciiString

A variable-length sequence of ASCII characters (normal 8-bit character type). It provides editing operations with built-in memory management to make *HAsciiString* objects easier to use than ordinary character arrays. *HAsciiString* objects are *handles* to strings.

- *HAsciiString* strings may be shared by several objects.
- You may use an *AsciiString* object to get the actual string. *HAsciiString* objects use an *AsciiString* string as a field.

TCollection_HExtendedString

A variable-length sequence of extended; (UNICODE) characters (16-bit character type). It provides editing operations with built-in memory management to make *ExtendedString* objects easier to use than ordinary extended character arrays. *HExtendedString* objects are *handles* to strings.

- *HExtendedString* strings may be shared by several objects.
- You may use an *ExtendedString* object to get the actual string. *HExtendedString* objects use an *ExtendedString* string as a field.

3.4.2 Conversion

Resource_Unicode provides functions to convert a non-ASCII *C string* given in ANSI, EUC, GB or SJIS format, to a Unicode string of extended characters, and vice versa.

3.5 Quantities

Quantities are various classes supporting date and time information and fundamental types representing most physical quantities such as length, area, volume, mass, density, weight, temperature, pressure etc.

Quantity classes provide the following services:

- Definition of primitive types representing most of mathematical and physical quantities;
- Unit conversion tools providing a uniform mechanism for dealing with quantities and associated physical units: check unit compatibility, perform conversions of values between different units, etc. (see package *UnitsAPI*)
- Resources to manage time information such as dates and time periods
- Resources to manage color definition

A mathematical quantity is characterized by the name and the value (real).

A physical quantity is characterized by the name, the value (real) and the unit. The unit may be either an international unit complying with the International Unit System (SI) or a user defined unit. The unit is managed by the physical quantity user.

The fact that both physical and mathematical quantities are manipulated as real values means that :

- They are defined as aliases of real values, so all functions provided by the *Standard_Real* class are available on each quantity.
- It is possible to mix several physical quantities in a mathematical or physical formula involving real values.

Quantity package includes all commonly used basic physical quantities.

3.6 Unit Conversion

The *UnitsAPI* global functions are used to convert a value from any unit into another unit. Conversion is executed among three unit systems:

- the **SI System**,
- the user's **Local System**,
- the user's **Current System**. The **SI System** is the standard international unit system. It is indicated by *SI* in the signatures of the *UnitsAPI* functions.

The OCCT (former MDTV) System corresponds to the SI international standard but the length unit and all its derivatives use the millimeter instead of the meter.

Both systems are proposed by Open CASCADE Technology; the SI System is the standard option. By selecting one of these two systems, you define your **Local System** through the *SetLocalSystem* function. The **Local System** is indicated by *LS* in the signatures of the *UnitsAPI* functions. The Local System units can be modified in the working environment. You define your **Current System** by modifying its units through the *SetCurrentUnit* function. The Current System is indicated by *Current* in the signatures of the *UnitsAPI* functions. A physical quantity is defined by a string (example: LENGTH).

4 Math Primitives and Algorithms

4.1 Overview

Math primitives and algorithms available in Open CASCADE Technology include:

- Vectors and matrices
- Geometric primitives
- Math algorithms

4.2 Vectors and Matrices

The Vectors and Matrices component provides a C++ implementation of the fundamental types *Vector* and *Matrix*, which are regularly used to define more complex data structures.

The *Vector* and *Matrix* classes provide commonly used mathematical algorithms which include:

- Basic calculations involving vectors and matrices;
- Computation of eigenvalues and eigenvectors of a square matrix;
- Solvers for a set of linear algebraic equations;
- Algorithms to find the roots of a set of non-linear equations;
- Algorithms to find the minimum function of one or more independent variables.

These classes also provide a data structure to represent any expression, relation, or function used in mathematics, including the assignment of variables.

Vectors and matrices have arbitrary ranges which must be defined at declaration time and cannot be changed after declaration.

```
math_Vector v(1, 3);
// a vector of dimension 3 with range (1..3)
math_Matrix m(0, 2, 0, 2);
// a matrix of dimension 3x3 with range (0..2, 0..2)
math_Vector v(N1, N2);
// a vector of dimension N2-N1+1 with range (N1..N2)
```

Vector and Matrix objects use value semantics. In other words, they cannot be shared and are copied through assignment.

```
math_Vector v1(1, 3), v2(0, 2);
v2 = v1;
// v1 is copied into v2. a modification of v1 does not affect v2
```

Vector and Matrix values may be initialized and obtained using indexes which must lie within the range definition of the vector or the matrix.

```
math_Vector v(1, 3);
math_Matrix m(1, 3, 1, 3);
Standard_Real value;

v(2) = 1.0;
value = v(1);
m(1, 3) = 1.0;
value = m(2, 2);
```

Some operations on Vector and Matrix objects may not be legal. In this case an exception is raised. Two standard exceptions are used:

- *Standard_DimensionError* exception is raised when two matrices or vectors involved in an operation are of incompatible dimensions.
- *Standard_RangeError* exception is raised if an access outside the range definition of a vector or of a matrix is attempted.

```
math_Vector v1(1, 3), v2(1, 2), v3(0, 2);
v1 = v2;
// error: Standard_DimensionError is raised

v1 = v3;
// OK: ranges are not equal but dimensions are
// compatible

v1(0) = 2.0;
// error: Standard_RangeError is raised
```

4.3 Primitive Geometric Types

Open CASCADE Technology primitive geometric types are a STEP-compliant implementation of basic geometric and algebraic entities. They provide:

- Descriptions of primitive geometric shapes, such as:
 - Points;
 - Vectors;
 - Lines;
 - Circles and conics;
 - Planes and elementary surfaces;
- Positioning of these shapes in space or in a plane by means of an axis or a coordinate system;
- Definition and application of geometric transformations to these shapes:
 - Translations;
 - Rotations;
 - Symmetries;
 - Scaling transformations;
 - Composed transformations;
- Tools (coordinates and matrices) for algebraic computation.

All these functions are provided by geometric processor package *gp*. Its classes for 2d and 3d objects are handled by value rather than by reference. When this sort of object is copied, it is copied entirely. Changes in one instance will not be reflected in another.

The *gp* package defines the basic non-persistent geometric entities used for algebraic calculation and basic analytical geometry in 2d & 3d space. It also provides basic transformations such as identity, rotation, translation, mirroring, scale transformations, combinations of transformations, etc. Entities are handled by value.

Please, note that *gp* curves and surfaces are analytic: there is no parameterization and no orientation on *gp* entities, i.e. these entities do not provide functions which work with these properties.

If you need, you may use more evolved data structures provided by *Geom* (in 3D space) and *Geom2d* (in the plane). However, the definition of *gp* entities is identical to the one of equivalent *Geom* and *Geom2d* entities, and they are located in the plane or in space with the same kind of positioning systems. They implicitly contain the orientation, which they express on the *Geom* and *Geom2d* entities, and they induce the definition of their parameterization.

Therefore, it is easy to give an implicit parameterization to *gp* curves and surfaces, which is the parametrization of the equivalent *Geom* or *Geom2d* entity. This property is particularly useful when computing projections or intersections, or for operations involving complex algorithms where it is particularly important to manipulate the simplest data structures, i.e. those of *gp*. Thus, *EICLib* and *EISLib* packages provide functions to compute:

- the point of parameter u on a 2D or 3D *gp* curve,
- the point of parameter (u,v) on a *gp* elementary surface, and
- any derivative vector at this point.

Note: the *gp* entities cannot be shared when they are inside more complex data structures.

4.4 Collections of Primitive Geometric Types

Before creating a geometric object, you must decide whether you are in a 2d or in a 3d context and how you want to handle the object. If you do not need a single instance of a geometric primitive but a set of them then the package which deals with collections of this sort of object, *TColgp*, will provide the necessary functionality. In particular, this package provides standard and frequently used instantiations of generic classes with geometric objects, i.e. *XY*, *XYZ*, *Pnt*, *Pnt2d*, *Vec*, *Vec2d*, *Lin*, *Lin2d*, *Circ*, *Circ2d*. These are non-persistent classes.

4.5 Basic Geometric Libraries

There are various library packages available which offer a range of basic computations on curves and surfaces. If you are dealing with objects created from the *gp* package, the useful algorithms are in the elementary curves and surfaces libraries - the *EICLib* and *EISLib* packages.

- *EICLib* provides methods for analytic curves. This is a library of simple computations on curves from the *gp* package (Lines, Circles and Conics). It is possible to compute points with a given parameter or to compute the parameter for a point.
- *EISLib* provides methods for analytic surfaces. This is a library of simple computations on surfaces from the package *gp* (Planes, Cylinders, Spheres, Cones, Tori). It is possible to compute points with a given pair of parameters or to compute the parameter for a point. There is a library for calculating normals on curves and surfaces.

Additionally, *Bnd* package provides a set of classes and tools to operate with bounding boxes of geometric objects in 2d and 3d space.

4.6 Common Math Algorithms

The common math algorithms library provides a C++ implementation of the most frequently used mathematical algorithms. These include:

- Algorithms to solve a set of linear algebraic equations,
- Algorithms to find the minimum of a function of one or more independent variables,
- Algorithms to find roots of one, or of a set, of non-linear equations,
- An algorithm to find the eigenvalues and eigenvectors of a square matrix.

All mathematical algorithms are implemented using the same principles. They contain: A constructor performing all, or most of, the calculation, given the appropriate arguments. All relevant information is stored inside the resulting object, so that all subsequent calculations or interrogations will be solved in the most efficient way.

A function *IsDone* returning the boolean true if the calculation was successful. A set of functions, specific to each algorithm, enabling all the various results to be obtained. Calling these functions is legal only if the function *IsDone* answers **true**, otherwise the exception *StdFail_NotDone* is raised.

The example below demonstrates the use of the Gauss class, which implements the Gauss solution for a set of linear equations. The following definition is an extract from the header file of the class *math_Gauss*:

```

class Gauss {
public:
    Gauss (const math_Matrix& A);
    Standard_Boolean IsDone() const;
    void Solve (const math_Vector& B,
               math_Vector& X) const;
};

```

Now the main program uses the Gauss class to solve the equations $a \cdot x_1 = b_1$ and $a \cdot x_2 = b_2$:

```

#include <math_Vector.hxx>
#include <math_Matrix.hxx>
main ()
{
    math_Vector a(1, 3, 1, 3);
    math_Vector b1(1, 3), b2(1, 3);
    math_Vector x1(1, 3), x2(1, 3);
    // a, b1 and b2 are set here to the appropriate values
    math_Gauss sol(a);           // computation of the
    // LU decomposition of A
    if(sol.IsDone()) {           // is it OK ?
        sol.Solve(b1, x1);       // yes, so compute x1
        sol.Solve(b2, x2);       // then x2
        ...
    }
    else {                       // it is not OK:
        // fix up
        sol.Solve(b1, x1);       // error:
        // StdFail_NotDone is raised
    }
}

```

The next example demonstrates the use of the *BissecNewton* class, which implements a combination of the Newton and Bisection algorithms to find the root of a function known to lie between two bounds. The definition is an extract from the header file of the class *math_BissecNewton*:

```

class BissecNewton {
public:
    BissecNewton (math_FunctionWithDerivative& f,
                  const Standard_Real bound1,
                  const Standard_Real bound2,
                  const Standard_Real tol);
    Standard_Boolean IsDone() const;
    Standard_Real Root();
};

```

The abstract class *math_FunctionWithDerivative* describes the services which have to be implemented for the function *f* which is to be used by a *BissecNewton* algorithm. The following definition corresponds to the header file of the abstract class *math_FunctionWithDerivative*:

```

class math_FunctionWithDerivative {
public:
    virtual Standard_Boolean Value
        (const Standard_Real x, Standard_Real& f) = 0;
    virtual Standard_Boolean Derivative
        (const Standard_Real x, Standard_Real& d) = 0;
    virtual Standard_Boolean Values
        (const Standard_Real x,
         Standard_Real& f,
         Standard_Real& d) = 0;
};

```

Now the test sample uses the *BissecNewton* class to find the root of the equation $f(x) = x^2 - 4$ in the interval [1.5, 2.5]: the function to solve is implemented in the class *myFunction* which inherits from the class *math_FunctionWithDerivative*, then the main program finds the required root.

```

#include <math_BissecNewton.hxx>
#include <math_FunctionWithDerivative.hxx>
class myFunction : public math_FunctionWithDerivative
{
    Standard_Real coefa, coefb, coefc;

public:
    myFunction (const Standard_Real a, const Standard_Real b,
               const Standard_Real c) :

```



```

    coefa(a), coefb(b), coefc(c)
    {}

    virtual Standard_Boolean Value (const Standard_Real x,
                                    Standard_Real& f)
    {
        f = coefa * x * x + coefb * x + coefc;
    }

    virtual Standard_Boolean Derivative (const Standard_Real x,
                                         Standard_Real& d)
    {
        d = coefa * x * 2.0 + coefb;
    }

    virtual Standard_Boolean Values (const Standard_Real x,
                                     Standard_Real& f, Standard_Real& d)
    {
        f = coefa * x * x + coefb * x + coefc;
        d = coefa * x * 2.0 + coefb;
    }
};

main()
{
    myFunction f(1.0, 0.0, 4.0);
    math_BissecNewton sol(F, 1.5, 2.5, 0.000001);
    if(Sol.IsDone()) { // is it OK ?
        Standard_Real x = sol.Root(); // yes.
    }
    else { // no
    }
}

```

4.7 Precision

On the OCCT platform, each object stored in the database should carry its own precision value. This is important when dealing with systems where objects are imported from other systems as well as with various associated precision values.

The *Precision* package addresses the daily problem of the geometric algorithm developer: what precision setting to use to compare two numbers. Real number equivalence is clearly a poor choice. The difference between the numbers should be compared to a given precision setting.

Do not write *if (X1 == X2)*, instead write *if (Abs(X1-X2) < Precision)*.

Also, to order real numbers, keep in mind that *if (X1 < X2 - Precision)* is incorrect. *if (X2 - X1 > Precision)* is far better when *X1* and *X2* are high numbers.

This package proposes a set of methods providing precision settings for the most commonly encountered situations.

In Open CASCADE Technology, precision is usually not implicit; low-level geometric algorithms accept precision settings as arguments. Usually these should not refer directly to this package.

High-level modeling algorithms have to provide a precision setting to the low level geometric algorithms they call. One way is to use the settings provided by this package. The high-level modeling algorithms can also have their own strategy for managing precision. As an example the Topology Data Structure stores precision values which are later used by algorithms. When a new topology is created, it takes the stored value. Different precision settings offered by this package cover the most common needs of geometric algorithms such as *Intersection* and *Approximation*. The choice of a precision value depends both on the algorithm and on the geometric space. The geometric space may be either:

- a real space, 3d or 2d where the lengths are measured in meters, micron, inches, etc.
- a parametric space, 1d on a curve or 2d on a surface where numbers have no dimension. The choice of precision value for parametric space depends not only on the accuracy of the machine, but also on the dimensions of the curve or the surface. This is because it is desirable to link parametric precision and real precision. If you are on a curve defined by the equation $P(t)$, you would want to have equivalence between the following:

```

Abs(t1-t2) < ParametricPrecision
Distance (P(t1),P(t2)) < RealPrecision.

```

4.7.1 The Precision package

The *Precision* package offers a number of package methods and default precisions for use in dealing with angles, distances, intersections, approximations, and parametric space. It provides values to use in comparisons to test for real number equalities.

- Angular precision compares angles.
- Confusion precision compares distances.
- Intersection precision is used by intersection algorithms.
- Approximation precision is used by approximation algorithms.
- Parametric precision gets a parametric space precision from a 3D precision.
- *Infinite* returns a high number that can be considered to be infinite. Use *-Infinite* for a high negative number.

4.7.2 Standard Precision values

This package provides a set of real space precision values for algorithms. The real space precisions are designed for precision to 0.1 nanometers. The only unit available is the millimeter. The parametric precisions are derived from the real precisions by the *Parametric* function. This applies a scaling factor which is the length of a tangent to the curve or the surface. You, the user, provide this length. There is a default value for a curve with $[0, 1]$ parameter space and a length less than 100 meters. The geometric packages provide Parametric precisions for the different types of curves. The *Precision* package provides methods to test whether a real number can be considered to be infinite.

Precision::Angular

This method is used to compare two angles. Its current value is $Epsilon(2 * PI)$ i.e. the smallest number x such that $2*PI + x$ is different of $2*PI$.

It can be used to check confusion of two angles as follows: $Abs(Angle1 - Angle2) < Precision::Angular()$

It is also possible to check parallelism of two vectors (*Vec* from *gp*) as follows $V1.IsParallel(V2, Precision::Angular())$

Note that *Precision::Angular()* can be used on both dot and cross products because for small angles the *Sine* and the *Angle* are equivalent. So to test if two directions of type *gp_Dir* are perpendicular, it is legal to use the following code: $Abs(D1 * D2) < Precision::Angular()$

Precision::Confusion

This method is used to test 3D distances. The current value is $1.e-7$, in other words, 1/10 micron if the unit used is the millimeter.

It can be used to check confusion of two points (*Pnt* from *gp*) as follows: $P1.IsEqual(P2, Precision::Confusion())$

It is also possible to find a vector of null length (*Vec* from *gp*) : $V.Magnitude() < Precision::Confusion()$

Precision::Intersection

This is reasonable precision to pass to an Intersection process as a limit of refinement of Intersection Points. *Intersection* is high enough for the process to converge quickly. *Intersection* is lower than *Confusion* so that you still get a point on the intersected geometries. The current value is $Confusion() / 100$.

Precision::Approximation

This is a reasonable precision to pass to an approximation process as a limit of refinement of fitting. The approximation is greater than the other precisions because it is designed to be used when the time is at a premium. It has been provided as a reasonable compromise by the designers of the Approximation algorithm. The current value is $Confusion() * 10$. Note that Approximation is greater than Confusion, so care must be taken when using Confusion in an approximation process.

5 Data Storage

5.1 Saving and Opening Files




Figure 5: Example of Saving-Opening workflow

In the example, the roots of the transferable transient objects *TopoDS_Shape*, *Geom_Geometry* and *Geom2d_Geometry* are used in algorithms, they contain data and temporary results. The associated objects in the persistent domain are *PTopoDS_HShape*, *PGeom_Geometry* and *PGeom2d_Geometry*. They contain a real data structure which is stored in a file. Note that when an object is stored, if it contains another stored object, the references to the contained object are also managed.




Figure 6: Saving-Opening mechanism

5.2 Basic Storage Procedures

5.2.1 Saving

The storage procedure of a transient object follows five main steps.

1. Create an I/O driver for files. For example, *FSD_File f()*;
2. Instance the data schema, which will process your persistent information. The schema is used for read/write operations. If ShapeSchema is the name of your schema:

```
Handle(ShapeSchema) s = new ShapeSchema;
```

3. Create a persistent shape from a transient shape.

```

TopoDS_Shape aShape;
PTColStd_TransientPersistentMap aMap;
Handle(PTopoDS_HShape) aPShape = MgtBRep::Translate
(aShape, aMap, MgtBRep_WithoutTriangle);

```

4. Create a new container and fill it using the *AddRoot()* method.

```

Handle(Storage_Data) d = new Storage_Data;
d -> AddRoot ("ObjectName", aPShape);

```

You may add as many objects as you want in this container.

5. Save to the archive.

```

s -> Write (f,d);

```

5.2.2 Opening

The retrieval mechanism is the opposite of the storage mechanism. The procedure for retrieving an object is as follows:

1. Create an I/O driver and instance a data schema (if not done).
2. Read the persistent object from the archive and get the list of objects using *Roots()* method.

```

Handle(Storage_Data) d = s -> Read(f);
Handle(Storage_HSeqOfRoot) roots = d-> Roots();

```

3. Loop on root objects to get *Standard_Persistent* objects (the following sequence only gets the first root).

```

Handle(Standard_Persistent) p;
Handle(Standard_Root) r;
if(roots -> Length() >= 1) {
    r = roots -> Value(1);
    p = r -> Object();
}

```

4. DownCast the persistent object to a *PTopoDS_Hshape*.

```

Handle(PTopoDS_HShape) aPShape;
aPShape = Handle(PTopoDS_HShape)::DownCast(p);

```

5. Create the *TopoDS_Shape*.

```

TopoDS_Shape aShape;
PTColStd_PersistentTransientMap aMap;
MgtBRep::Translate (aPShape, aMap, aShape, MgtBRep_WithoutTriangle);

```